



EVERYTHING ABOUT THE KITCHEN

Automatic juicer	. 51
Bag sealer	
Bar mixer / milk frother	. 50
Beer dispenser	. 52
Bread maker	
Built-in microwaves with grill	. 82
Chocolate fountain	. 33
Citrus juicer	. 51
Coffee grinder	. 13
Coffee machines	. 8
Contact grills	. 66
Cotton candy maker	. 32
Crêpe maker	
Donut maker	
Egg boiler	
Electric knife	
Electric lunchbox	
Food dryer	
Food processor	
Food slicer	
Fondue deep fat pan	
Fondue set	
Fryers	
'	
Hamburger grill	
Hand blender	
Hand blender set	
Hand mixer	
Hand mixer sets	
Hot dog maker	
Hotplates	
lce cream cone maker	
lce cream maker	
lce cube maker	
Induction hot plates	
Kitchen scales	
Kneading machines	. 41
Microwaves	. 80
Milk frother	. 13
Mincer	. 47
Mini kitchen	. 80
Mini oven	. 77
Muffin maker	. 25
Multi chopper	
Multi express	
Multi grill	
Multi oven	
Multi pizza oven	
Party pans	



Pepper/salt mill34
Pizzamaker69
Popcorn maker32
Preserving boiler85
Raclette grills70
Rice cooker63
Sandwich toaster26
Smoothie maker50
Steamer65
Tea and water kettle
Toaster
Universal mixer49
Waffle maker
Yoghurt maker31

TEXTIL CARE

Fabric steamer96
Sewing machine93
Shirts/blouses and
pants ironer 95
Shoe polishing machines 98
Steam brush89
Steam ironing station94
Steam irons90
Textile cleaner 113
Travelling steam iron /
steam brush89

FLOOR CARE

Battery- & floor vacuum cleaner	105
Battery vacuum cleaner	103
Hand vacuum cleaner	104
Shampoo vacuum cleaner	112
Steam cleaner	100
Steam mop	102
Wet and dry vacuum cleaner	111

PERSONAL CARE

Alcohol tester	114
Bathroom scales	114
Facial sauna	116
Foot massager	115
Hair and beard trimmer	117
Hair crimper	119
Hair dryer	120
Hair straightener	118
Hot air curling brush	119
Nose and ear hair remover	116



INDOOR CLIMATE COOL / HEAT

Air conditioning units	126
Air cooler	125
Convector heaters	134
Cool bag	128
Cool boxes	129
Fan heaters	131
Insect killer	122
Oil radiators	135
Standing fans	123
Table fans	122
Tower fan	124

SEASONAL PRODUCTS

Barbecue standing grill	5
Barbecue table grills	5
Doner vertikal multigrill7	7
Electric beef grill7	4
Electric charcoal lighter	2
Gas grill 7	6




In special issue of "Focus" the brand "Clatronic" was certified with the german test signet "Germanys best household electronics".

There were investigated 20.000 brands from 274 product segments, based on 107 million statements from online media and social media.

More informations: www.deutschlandtest.de





Milk frother MS 3089

- Creates foamy milk in seconds
- Soft touch housing
- Stainless steel whisk
- Easy to clean
- Battery operation: 2x 1,5 V (AA/UM3) (batteries not included)

Hand blender SM 3577

- Stainless steel cutting blade (rustproof)
- On/off switch (countersunk)
- Powerful 180 watt motor
- Incl. transparent mixing container (500 ml)
- Hanging loop
- 220–240 V, 50 Hz, 180 W

Glass kitchen scale KW 3626

- Extra-flat digital kitchen scale
- Weighing surface made of highquality glass
- Clearly legible LCD display
- Measurement range up to 5000 g (in 1 g steps)
- Adjustable measuring units:g, lb-oz, ml, fl-oz
- Auto shutdown increases battery life
- Tare function (additive weighed function)
- Secure stand due to rubberized feet
- Low battery indication
- Battery operation: 1x CR 2032 (battery included 1x lithium, 2.80 g)



Kneading machine KM 3711

- High-performance kneading machine with powerful 1100 watt
- Variable electronic speed control
- 5 litres stainless steel bowl for max. 2.5–3 kg dough preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs,e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Sturdy special gear
- 35° swivelling multifunction arm

- Unlocking mechanism for multifunction arm
- Safety circuit
- Transparent splash protection lid with refill opening (removable)
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- = 220-240 V, 50 Hz, 1100 W









- 1 cup coffee machine for filter coffee
- Space-saving design (ideal when out and about)
- Incl. ceramic cup

8

- Permanent nylon filter (removable)
- On/off switch with indicator light
- Automatic switch-off
- Non-slip tray (removable)
- 220-240 V, 50 Hz, 270-330 W
- WxHxD approx. 130 x 175 x 155 mm

1 cup coffee machine KA 3733



- 1 cup coffee machine for filter coffee in a high-quality stainless steel design
- Coffee to go simple, fast and fresh, with the familiar taste of an aromatic filter coffee
- Incl. double-walled stainless steel thermo cup and aroma cap with drinking spout (400 ml capacity)
- Compact, space-efficient and environmentally friendly brew coffee directly into the stainless steel cup and reuse it (reduction of plastic and paper cups)
- Rubberized "Soft touch"-coating on the stainless steel cup
- Permanent nylon filter (removable)
- On/off switch with indicator light
- Automatic switch-off
- Stainless steel cup suitable for all common cup holders (e.g. in the car)
- **220–240 V, 50/60 Hz, 650–750 W**
- WxHxD approx. 138 x 275 x 175 mm



Incl. double-walled



Stainless steel cup suitable for all stainless steel thermo cup common cup holders (e.g. in the car)




Art. no. 263 155

4 006 160 631 555



















- For 12–14 cups of coffee approx. 1.5 litres)
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Heating plate with automatic switch-off
- Water level indicator
- Cord storage
- 230 V, 50 Hz, 900 W
- WxHxD approx. 190 x 330 x 205 mm







- For 12–14 cups of coffee (approx. 1.5 litres)
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Heating plate with automatic switch-off
- Water level indicator
- Cord storage
- **230 V, 50 Hz, 900 W**
- WxHxD approx. 190 x 330 x 205 mm




Can also be combined as a suitable set









EAN 4 006 160 639 339





.....











- Coffee machine KA 3562
- For 12–14 cups of coffee (approx. 1.5 litres)
- High-quality stainless steel application
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light (blue illuminated)
- Heating plate with automatic switch-off
- Water level indicator
- 220-240 V, 50/60 Hz, 900 W
- WxHxD approx. 180 x 325 x 260 cm

- For 12–14 cups of coffee (approx. 1.5 litres)
- Stainless steel front
- Programmable 24 hour LCD digital timer
- Anti-drip protection
- Filter holder (removable)
- 2 indicator lights
- 4 control buttons
- Heating plate with automatic switch-off
- Water level indicator
- **220–240 V, 50/60 Hz, 900 W**
- WxHxD approx. 180 x 310 x 220 mm



Programmable 24 hour LCD digital timer




Art. no. 263 649

N 4 006 160 636 499

DII 4



















- For 8–10 cups of coffee (approx. 1 litre)
- Thermo jug (double-walled)
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Automatic switch-off
- Water level indicator
- 220-240 V, 50/60 Hz, 870 W max.
- WxHxD approx. 185 x 340 x 210 mm

Thermo coffee machine KA 3328



- 2 thermo jugs (double-walled) for 8–10 cups of coffee each (2x 1 litre)
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Automatic switch-off
- Water level indicator
- 220-240 V, 50/60 Hz, 870 W max.
- WxHxD approx. 185 x 340 x 210 mm

Art. no. 263 991

4 006 160 639 919 EAN

PU 6

Art. no. 263 127 4 006 160 631 272

PU 6





















- For 8–10 cups of coffee (approx. 1.2 litres)
- Stainless steel thermo jug (double-walled) with flavour seal – no temperature loss
- Stainless steel front
- Anti-drip protection
- Filter holder (removable)
- On/off switch with indicator light
- Automatic switch-off
- Water level indicator
- 220-240 V, 50/60 Hz, 800 W
- WxHxD approx. 226 x 327 x 183 mm

■ Espresso and cappuccino pump machine

and CLITRONC

- Stainless steel front
- Constant pump pressure of up to 15 bar
- Swivelling stainless steel steam nozzle with foaming and hot water function
- Steam quantity continuously adjustable
- Steam nozzle tip removable for easy cleaning
- Cup warming function with stainless steel insert
- 1.6 litres transparent water tank (removable)
- External water level indicator
- Collection cup with stainless steel drip grid (removable)
- 2 indicator lights
- Automatic switch-off
- Operational readiness indication
- Accessories: 2 filter holders (1 and 2 cups), coffee measure, tamper
- 220-240 V, 50 Hz, 850 W
- WxHxD approx. 250 x 295 x 280 mm



Double-walled stainless steel thermo jug with flavour seal - no temperature loss



Cup warming function



Swivelling stainless steel steam nozzle with foaming and hot water function



Art. no. 263 945

4 006 160 639 452

























Stainless steel housing

Electric coffee grinder KSW 3307



Electric coffee grinder KSW 3306



Milk frother

Cold and warm

foaming function



- Electric coffee grinder with beater
- Stainless steel housing
- Stainless steel beater blade
- Stainless steel bean container (aroma protection and hygienic)
- Transparent lid
- Capacity for approx. 40 g beans (20 cups of coffee)
- Powerful 120 watt motor
- Safety circuit operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Cord storage
- 220-240 V, 50-60 Hz, 120 W
- WxHxD approx. 100 x 200 x 100 mm

- Electric coffee grinder with beater
- Stainless steel beater blade
- Stainless steel bean container (aroma protection and hygienic)
- Transparent lid
- Capacity for approx. 40 g beans (20 cups of coffee)
- Powerful 120 watt motor
- Safety circuit operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Cord storage
- 220-240 V, 50-60 Hz, 120 W
- WxHxD approx. 100 x 200 x 100 mm

- MS 3693
- Integrated heating function Creates foamy milk in seconds
- Also suitable for hot and cold chocolate
- Container non-stick coated (approx. 550 ml)
- Milk foam quantity: approx. 300 ml
- Electronic Multi function switch (illuminated):
 - Frothing the milk warm
 - Frothing the milk cold ideal for iced coffee
 - Heating the milk
- Concealed heating element
- Automatic switch-off
- Incl. lid with splash guard function
- Additional stirrer for hot drinks without frothing (e.g. cocoa)
- Lid removable for easy cleaning
- 220-240 V, 50/60 Hz, 500 W
- WxHxD approx. 160 x 175 x 113 mm



4 006 160 830 248



PU₆

Art. no. 263 832





Art. no. 283 023

Art. no. 283 032

4 006 160 830 231

4 006 160 830 323







Art. no. 283 024



Cold and warm foaming function

Integrated heating function

Creates foamy milk in seconds

Also suitable for hot and cold

Non-stick coated (inside/outside)

■ Electronic – 3 function switches:

Milk foam quantity: approx. 500 ml

Mixing container (750 ml)

- Frothing the milk warm

- Frothing the milk cold -

Concealed heating element

ideal for iced coffee

Heating the milk

Automatic switch-off

for easy cleaning

Milk frother MS 3326

chocolate

- TEST
- Creates foamy milk in seconds
- Stainless steel whisk
- Easy to clean
- WxHxD approx. 47 x 225 x 32 mm

TEST

Soft touch housing

Milk frother

MS 3089

TESTURTEIL Haus & Garten Tes gut (1,5)

- Battery operation: 2x 1,5 V (AA/UM3) (batteries not included)
- Cordless tea maker with percolator tea-brewing system

Cordless

- Perfect tea enjoyment with traditional tea making
- For 8–10 cups of tea (approx. 1 litre)
- Simple handling due to cable-free technology - easy to pour in and out
- Thanks to the noble design suitable as a serving jug ■ 360° connector allows convenient
- operation for right and left handers
- Permanent stainless steel tea filter (removable)
- On/off switch

Tea maker

TK 3715

- Indicator light
- BPA free
- Concealed stainless steel heating element
- Base station with cord storage
- Evaporation/overheating protection
- 220-240 V, 50/60 Hz, 600-720 W
- WxHxD approx. 190 x 225 x 150 mm



Permanent stainless steel tea filter (removable)



Percolator tea-brewing system

■ 230-240 V, 50 Hz, 600-650 W

WxHxD approx. 180 x 173 x 165 mm

Incl. lid with splash guard function Mixing container and lid removable

Art. no. 263 125 4 006 160 631 258





Art. no. 262 161

Art. no. 263 917

Art. no. 263 918

4 006 160 621 617

4 006 160 639 179

EAN

EAN

EAN

EAN



PU 20

PU 20





















Kettle WK 3462



- Ideal when travelling and on the move
- Capacity up to 0.5 litre
- Stainless steel housing
- Incl. 2 cups each 170 ml, transport / travel bag and coffee spoon
- On/off switch
- BPA free
- Concealed stainless steel heating element
- Indicator light
- Automatic switch-off
- Evaporation/overheating protection
- 120/230 V, 50/60 Hz, 1000 W
- WxHxD approx. 160 x 170 x 105 mm

- Compact kettle, also ideal for travel and single households
- Capacity up to 1.0 litre
- Simple handling due to cable-free technology easy to pour in and out
- Safety hinged lid with one-hand operation
- Lime filter (removable)
- On/off switch (illuminated)
- Stainless steel heating element
- Automatic and manual switch-off
- 2 external water level indicators
- Non-slip soft touch handle
- Incl. base station
- Evaporation/overheating protection
- 220-240 V, 50 Hz, 750-900 W
- WxHxD approx. 185 x 220 x 115 mm



Compact kettle. also ideal for travel and single households



Incl. transport / travel




Incl. 2 cups à 170 ml and coffee spoon



4 006 160 637 298







EAN 4 006 160 632 767 Art. no. 263 342

4 006 160 633 429

PU₆ PU₆













Kettle WK 3452

- 16
- Capacity up to 1.7 litres

Kettle


WK 3445

- Simple handling due to cable-free technology easy to pour in and out
- Safety hinged lid with one-hand operation
- Lime filter (removable)
- On/off switch (illuminated)
- Stainless steel heating element
- Automatic and manual switch-off
- 2 external water level indicators
- Non-slip soft touch handle
- Base station with cord storage
- Evaporation/overheating protection
- 220-240 V, 50 Hz, 1850-2200 W
- WxHxD approx. 220 x 255 x 140 mm

- Capacity up to 1.8 litres
- Simple handling due to cable-free technology easy to pour in and out
- 360° connector
- Lockable safety hinged lid with one-hand operation
- Lime filter (removable)
- On/off switch (illuminated)
- Concealed stainless steel heating element
- Automatic and manual switch-off
- 2 external water level indicators
- Base station with cord storage
- Overheating protection
- 220–240 V, 50 Hz, 1850–2200 W
- WxHxD approx. 225 x 255 x 150 mm



Can also be combined as a suitable set



4 006 160 632 101 Art. no. 263 212 4 006 160 632 125 PU₆







Art. no. 263 217

EAN 4 006 160 632 170 Art. no. 263 227

PU 6 PU₆










- Capacity up to 1.5 litres
- Stainless steel housing
- Simple handling due to cable-free technology easy to pour in and out
- 360° connector
- Safety hinged lid with one-hand operation
- On/off switch (blue illuminated)
- BPA free
- Concealed stainless steel heating element
- Automatic and manual switch-off
- Base station with cord storage
- Evaporation/overheating protection
- 220-240 V, 50 Hz, 1850-2200 W
- WxHxD approx. 230 x 233 x 142 mm

- WKS 3744 G
- Capacity up to 1.7 litres
- Glass/stainless steel housing
- Water container made of heat-resistant safety glass
- Simple handling due to cable-free technology easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- On/off switch
- BPA free
- Concealed stainless steel heating element
- Automatic and manual switch-off
- Water level indicator
- Base station with cord storage (stainless steel sheathed)
- Evaporation/overheating protection
- 220-240 V, 50/60 Hz, 1850-2200 W
- WxHxD approx. 220 x 245 x 160 mm



Glass/stainless steel housing




PU 6 Art. no. 263 833 4 006 160 638 332 PU 6


















- Compact 2-slice toaster
- Cool touch housing
- Bread roll attachment (integrated)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning level
- 2 indicator lights
- Automatic and manual switch-off
- Crumb drawer
- Base station with cord storage
- 220–240 V, 50/60 Hz, 600–700 W
- WxHxD approx. 285 x 240 x 165 mm



Integrated bread roll attachment



Can also be combined as a suitable set

- Compact 2-slice toaster
- Also suitable for trendy toast rolls and tasty ready-made waffles
- Cool touch housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning level
- 3 indicator lights (blue illuminated)
- Automatic and manual switch-off
- Crumb drawer
- Cord storage
- 220-240 V, 50/60 Hz, 750 W max.
- WxHxD approx. 255 x 175 x 145 mm



Also suitable for trendy toast rolls



Defrost/reheat/quick-stop



Also suitable for tasty ready-made waffles



Top / enjoy toast according to your wishes

PU 6







EAN 4 006 160 639 964 Art. no. 263 997















Stainless steel housing



Toaster TA 3620





- Compact 2-slice toaster
- Cool touch housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning level
- 3 indicator lights (blue illuminated)
- Automatic and manual switch-off
- Crumb drawer
- Cord storage
- 220-240 V, 50/60 Hz, 870 W max.
- WxHxD approx. 260 x 170 x 145 mm

- 2-slice toaster
- Stainless steel housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function (blue illuminated)
- Continuously adjustable browning level
- Centring function
- Automatic and manual switch-off
- Crumb drawer
- Cord storage
- 220-240 V, 50/60 Hz, 750-850 W
- Wx Hx D approx. 270 x 180 x 150 mm



Defrost/reheat/quick-stop function



Art. no. 263 634 4 006 160 636 345

















- 4-slice long-slot toaster
- Heat-insulated cool touch housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning level
- 3 LED indicator lights
- Automatic switch-off
- Crumb drawer
- Cord storage
- **220–240 V, 50/60 Hz, 1200–1400 W**
- WxHxD approx. 375 x 175 x 165 mm

- 4-slice long-slot toaster
- Also suitable for trendy toast rolls and tasty ready-made waffles
- Heat-insulated cool touch housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning level
- 3 LED indicator lights
- Automatic switch-off
- Crumb drawer
- Cord storage
- Secure stand thanks to non-slip feet
- **220–240 V, 50/60 Hz, 1200–1400 W**
- WxHxD approx. 380 x 175 x 155 mm



Also suitable for trendy toast rolls



Defrost/reheat/quick-stop



Art. no. 263 998

Also suitable for tasty ready-made waffles



Top / enjoy toast according to your wishes



Art. no. 263 614 EAN 4 006 160 636 147

DIIA





















Toaster TA 3687







- 4-slice long-slot toaster
- Stainless steel housing
- Bread roll attachment (removable)
- Defrost/reheat/quick-stop function (blue illuminated)
- Continuously adjustable browning level
- Centring function
- Automatic and manual switch-off
- Crumb drawer
- Cord storage
- 220–240 V, 50/60 Hz, 1200 W
- WxHxD approx. 366 x 184 x 165 mm

- Large baking surfaces: approx. Ø 18 cm (non-stick coated)
- Preparation in a few minutes
- Heat-insulated handle
- Continuously adjustable browning level
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Overheating protection
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 205 x 115 x 250 mm






N 4 006 160 638 295

PU 4







Art. no. 261 680 EAN 4 006 160 616 804 PU 6













- Stainless steel insert
- Large baking surfaces: approx. Ø 18 cm (non-stick coated)
- Preparation in a few minutes
- Heat-insulated handle
- Continuously adjustable browning level
- 2 indicator lights for power and heating (baking lights)
- Overheating protection
- 220-240 V, 50/60 Hz, 1000 W
- WxHxD approx. 200 x 100 x 260 mm





Waffle maker WA 3772



- Special waffle maker for trendy bubble waffles in typical shape with bubble structure, crispy on the outside and fluffy on the inside
- Preparation in a few minutes
- Large, hexagonal baking surfaces (non-stick coated)
- Rotation function (180°) for uniform baking results
- Heat-insulated handles
- Indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Overheating protection
- **220–240 V, 50/60 Hz, 700 W**
- WxHxD approx. 215 x 115 x 290 mm



Rotation function (180°) for uniform baking results



Large, hexagonal baking surfaces (non-stick coated)





















Waffle maker WA 3606

- Waffle maker for Belgian waffles
- Stainless steel insert
- 2 large baking surfaces, approx 21.5 x 13.5 cm each (non-stick coated)
- Preparation in a few minutes
- 2 waffles for each baking procedure
- Heat-insulated handle
- Continuously adjustable browning level
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Overheating protection
- Safety shutdown
- Cord storage
- 230 V, 50 Hz, 800 W
- WxHxD approx. 225 x 115 x 200 mm

Waffle maker WA 3745




- Stainless steel insert and lid
- Preparation in a few minutes
- 2 baking surfaces (non-stick coated)
- 2 waffles for each baking procedure
- Heat-insulated handle
- Continuously adjustable browning level
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Overheating protection
- Cord storage
- 220-240 V, 50/60 Hz, 1200 W
- WxHxD approx. 315 x 85 x 230 mm




Stainless steel insert




Continuously adjustable browning level













.....

PU₄









lce cream cone maker HA 3494



- Large baking surface: approx. Ø 18 cm (non-stick coated)
- Heat-insulated handle
- Continuously adjustable browning level
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Incl. ice cream cone
- Overheating protection
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 205 x 115 x 250 mm





CM 3372

Crêpe maker

- Large baking surface: approx. Ø 29 cm (non-stick coated)
- Paper-thin crêpes, quickly and easily prepared
- Also suitable for making tortillas, wraps, enchiladas, tacos and much more
- Heat-insulated plastic base
- Continuously adjustable thermostat
- 2 indicator lights for power and heating (baking lights)
- Base station with cord storage
- Incl. batter distributor
- 220-240 V, 50/60 Hz, 900 W
- WxHxD approx. 325 x 80 x 370 mm





Incl. squirrel cone













Incl. batter distributor






















- **Donut maker** DM 3495
- For baking up to 7 bagels/donuts
- Baking surfaces non-stick coated
- Heat-insulated handle
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Overheating protection
- 220-240 V, 50/60 Hz, 900 W
- WxHxD approx. 225 x 115 x 225 mm

- For baking up to 7 muffins
- Muffin diameter approx. 4.5 cm
- Baking surfaces non-stick coated
- Heat-insulated handle
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Overheating protection
- 220-240 V, 50/60 Hz, 900 W
- Wx Hx D approx. 225 x 115 x 225 mm





Art. no. 261 685





Sandwich toaster ST 3477







- Triangular sandwich plates
- Non-stick coating
- Heat-insulated handle
- Automatic temperature controller
- 2 indicator lights for power and heating (baking lights)
- Locking system
- Safety shutdown
- Overheating protection
- 220-240 V, 50/60 Hz, 750 W
- WxHxD approx. 230 x 80 x 230 mm

- Stainless steel insert
- Triangular sandwich plates
- Non-stick coating
- Heat-insulated handle
- Automatic temperature controller
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Locking system
- Overheating protection
- 220-240 V, 50/60 Hz, 750 W
- WxHxD approx. 235 x 95 x 235 mm




Can also be combined as a suitable set

(€ €



Stainless steel insert

Art. no. 261 658
EAN 4 006 160 616 583 PU 6
Art. no. 263 930
EAN 4 006 160 639 308 PU 6
Art. no. 261 660
EAN 4 006 160 616 606 PU 6





PU 6











Multi grill ST/WA 3670



■ 4-slice sandwich toaster

Sandwich toaster

- Stainless steel insert
- Triangular sandwich plates
- Non-stick coating

ST 3629

- Heat-insulated handle
- Automatic temperature controller
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Locking system
- Overheating protection and overtemperature protection
- 220–240 V, 50/60 Hz, 1400 W
- WxHxD approx. 270 x 105 x 325 mm

- Sandwich toaster, waffle maker and contact grill
- Versatile use by three different removable plates (sandwich/waffle/grill plates), e.g. for Belgian waffles and tasty sandwich variations, as well as for fast double-sided contact grilling
- Stainless steel insert
- Baking plates non-stick coated and changeable
- Heat-insulated handle
- 2 indicator lights for power and heating (baking lights)
- Secure stand due to rubberized feet
- Locking system
- Overheating protection
- 220-240 V, 50/60 Hz, 800 W
- WxHxD approx. 240 x 105 x 220 cm



Stainless steel insert







Grill plates







Waffle plates




Art. no. 263 736

N 4 006 160 637 366

DII 4













- Hamburger grill for even and low-fat grilling of Hamburger
- Versatile use for e.g. vegetable burger, fish cake etc.
- 2 large grill surfaces, each approx. 10.5 cm Ø (non-stick coated)
- Extra deep grooves for strong grill pattern
- Stainless steel insert
- 2 Hamburger patties per grilling process
- Heat-insulated handle
- 2 indicator lights for power and heating
- Temperature "ready" display
- Removable fat collecting tray (easy to clean)
- Cord storage

HBM 3696

- Overheating protection
- Secure stand due to rubberized feet
- 220-240 V, 50/60 Hz, 1000 W
- WxHxD approx. 240 x 100 x 196 mm

- MG 3519
- Multi grill for double-sided, fat-free grilling
- 700 watt
- Stainless steel housing
- Short cooking times
- Non-stick coated grill plates with extra deep grooves for strong grill pattern
- Heat-insulated handle
- Indicator light
- Grill surfaces: 23 x 14.5 cm
- Cord storage
- Versatile use for e.g. panini, steaks, fish or vegetables
- 220-240 V, 50/60 Hz, 700 W
- WxHxD approx. 270 x 95 x 230 mm



2 large grill surfaces, each approx. 10.5 cm Ø (non-stick coated)










Stainless steel housing













ETESTMAGAZIN. URTEIL		
Clatronic ICM 3650		
GUT	90,3 %	
lm Test: 5 Eismaschinen mit Kühlakku Testurteile: 1× sehr gut, 4× gut www.etm-testmagazin.de	Heft 08/2017	





Ice cream maker ICM 3650



Ice cream maker ICM 3764

- Ice cream maker for preparing sorbet, ice cream and frozen yoghurt
- Double-walled ice cream maker with cold reservoir (H: 13.8 cm; Ø 20 cm)
- Transparent lid with refill opening
- For up to 1500 ml ice cream
- Preparation time (ice cream): 20–40 min.
- Mixer and motor housing removable for easy cleaning
- Incl. recipe suggestions
- Secure stand due to rubberized feet
- 220-240 V, 50 Hz, 12 W
- WxHxD approx. 200 x 225 x 210 mm

- Ice cream maker for preparing sorbet, ice cream and frozen yoghurt
- 2 double-walled ice container with cold reservoir, suitable for direct ice consumption
- Transparent lid with 2 refill openings
- For up to 2x 500 ml ice cream
- Preparation time (ice cream): 15–45 min.
- Incl. timer (0–60 min.)
- Mixer and motor housing removable for easy cleaning
- Incl. recipe suggestions
- Secure stand due to rubberized feet
- 220-240 V, 50 Hz, 12 W
- WxHxD approx. 280 x 230 x 130 mm



Transparent lid with refill opening




Double-walled ice cream maker with cold reservoir



Mixer and motor housing removable for easy cleaning




2 double-walled ice container with cold reservoir, suitable for direct ice consumption



4 006 160 639 568


















- Ice cream maker for preparing sorbet, ice cream and frozen yoghurt
- High-quality LED display and sensor touch control panel
- Digital timer (variable time setting of 5–120 min.)
- 3 programs
- Preparation time: 20–25 min.

ICM 3784

- For up to 1200 ml ice cream
- Professional compressor for fully automatic cooling
- Transparent lid with refill opening
- Incl. recipe suggestions
- Removable ice cream maker (H: 10.0 cm; Ø 13.0 cm), stirring element and motor housing for easy cleaning
- Stirring element with powerful, quiet motor
- Secure stand due to rubberized feet
- Incl. ice cream scoop
- 220-240 V, 50 Hz, 110 W
- WxHxD approx. 370 x 225 x 264 mm


- Compact ice cube maker without complicated installation for producing ice cubes quickly and simply at the press of a button
- Ideal for camping, office, kitchen or house bar
- No additional water pipe required (directly ready for operation)
- Integrated water tank (1.5 litres)
- Ice cubes already after 10 minutes
- Approx. 8–12 kg ice cubes in 24 hours
- 2 ice cube sizes selectable (small/large)
- LED display and acoustic signal when the ice cube container is full or the water tank is empty
- ECO Save energy-saving mode automatic switch-off when the container is full
- Cleaning program hygienic rinsing system with clean
- Electronic control with 6 indicator lights
- Visual check through viewing window in the lid
- Practical carrying handle
- Low-noise
- Accessories: Ice scoop
- 220-240 V, 50 Hz, 105 W
- WxHxD approx. 228 x 298 x 315 mm







Transparent lid with refill



Ice cubes already after



LED display / indicator lights



4 006 160 639 827











4 006 160 639 834



Art. no. 263 983

LED display / indicator lights







lce cube maker EWB 3798



Yoghurt maker JM 3344



- Compact ice cube maker without complicated installation for producing ice cubes quickly and simply at the press of a button
- Ideal for camping, office, kitchen or house bar
- No additional water pipe required (directly ready for operation)
- Integrated water tank (1.1 litres)
- Ice cubes already after 10 minutes
- Approx. 8–12 kg ice cubes in 24 hours
- 2 ice cube sizes selectable (small/large)
- LED display and acoustic signal when the ice cube container is full or the water tank is empty
- ECO Save energy-saving mode automatic switch-off when the container is full
- Cleaning program hygienic rinsing system with clean
- Electronic control with 4 indicator lights
- Visual check through viewing window in the lid
- Low-noise
- Accessories: Ice scoop
- 220-240 V, 50 Hz, 120 W
- WxHxD approx. 205 x 282 x 268 mm



Convenient removal of the finished ice cubes when required




Ice cubes already after

- Easy preparation of up to 1.1 litres of yoghurt
- 7 practical portion jars with screw cap (capacity: 160 ml)
- On/off switch (illuminated)
- Transparent lid
- Additional jars in a set of 6 also available as an option: EG JM 3344, product number: 251 125
- 220-240 V, 50 Hz, 15 W
- WxHxD approx. 240 x 150 x 265 mm

Suitable replacement jar: EG JM 3344

Art. no.: 251 125 EAN: 4 006 160 511 253





4 006 160 639 933





.....



Art. no. 251 119





Haus & Garten Test Endnote 1,9 gut Clatronic Bringt das Kinogefühl ins Wohnzimmer

Popcorn maker PM 3635

TESTURTEIL



Cotton candy maker **ZWM 3478**

32

- Large cotton candy bowl: Ø approx. 27 cm
- Transparent splash guard (removable)
- Dish and splash guard dishwasher safe
- Quartz heating element
- Secure stand due to suction feet
- Incl. measuring spoon and 10 wooden sticks
- 220–240 V, 50/60 Hz, 500 W
- WxHxD approx. 275 x 235 x 275 mm


- Calorie-conscious popcorn production by hot air (without fat)
- A healthy and tasty snack for the whole family
- Quick preparation (2–3 portions in approx. 2 minutes)
- Easy handling
- Healthy preparation without oil
- Incl. portioning tray (for example for butter, corn etc.)
- Transparent lid
- On/off switch
- 220-240 V, 50/60 Hz, 1200 W
- WxHxD approx. 165 x 350 x 180 mm



Incl. wooden sticks



Easy portioning for example for butter, corn etc.











PU 4









Stainless steel

Egg boiler EK 3321



- Chocolate fountain for an exclusive buffet experience
- Stainless steel housing

SKB 3248

- For dipping in various types of fruit or pastries
- Extra-smooth cascades for improved flow characteristics
- Deep drip collection bowl for long-lasting chocolate enjoyment
- Warm chocolate is transported by means of a worm shaft to the top of the fountain and then flows continuously down the fountain in gentle cascades
- Height-adjustable feet for a perfectly balanced flow of chocolate
- Stainless steel tower/fountain
- Stainless steel drip tray
- Motor and heating switchable separately by means of 2 switches
- Secure stand due to rubberized feet
- 220-240 V, 50 Hz, 150-190 W
- WxHxD approx. 215 x 395 x 215 mm

- Preparation of up to 7 eggs
- Stainless steel housing
- Electronic hardness adjuster
- On/off switch (illuminated)
- Acoustic signal (buzzer)
- Removable egg holder
- Measuring cup with egg pricker
- Stainless steel hotplate
- 230 V, 50 Hz, 400 W
- WxHxD approx. 220 x 155 x 185 mm





N 4 006 160 626 957

PU 4





Art. no. 263 118



.....







- Preparation of up to 6 eggs
- Heating dish (non-stick coated)
- On/off switch (illuminated)
- Acoustic signal (buzzer)
- Removable egg holder
- Incl. measuring cup with egg pricker
- 230 V, 50 Hz, 400 W
- WxHxD approx. 220 x 130 x 135 mm







Electric pepper/salt mill PSM 3004 N



- High-quality precision ceramic grinder
- Stainless steel housing
- Adjustable ceramic grinder (from coarse to fine)
- Consistent grinding quality
- Simple refilling
- One-hand operation
- Incl. light for optimum dosing of the condiment
- Battery-operated
- Battery operation: 4x 1,5 V AA/Mignon/LR/AM3 (batteries not included)
- WxHxD approx. 45 x 220 x 45 mm



Art. no. 261 686

4 006 160 616 866







(€

























- Special stainless steel blade (rustproof)
- Powerful motor
- 3 speed levels
- Safety power switch
- Continuously adjustable cutting thickness
- Cutting thickness indication
- Food grip with finger protection
- Removable slide
- Foldable housing
- 220-240 V, 50/60 Hz, 180 W max.
- WxHxD approx. 280 x 230 x 330 mm

- Big stainless steel blade (Ø 190 mm), rustproof
- Universal serrated blade
- Motor housing: aluminium die cast
- On/off switch
- Metal guiding rail
- Metallic guiding board
- Food grip with finger protection
- Continuously adjustable cutting thickness (0–15 mm)
- Tilted supporting table with stainless steel insert, tiltable for easy cleaning
- Secure stand due to suction feet
- 220-240 V, 50/60 Hz, 150 W
- WxHxD approx. 365 x 235 x 265 mm



Art. no. 262 532

4 006 160 625 325

4 006160 625325





Art. no. 263 683



SIEGER PREIS/LEISTUNG





36

Electric knife EM 3062







- Special serrated stainless steel double blade (rustproof/ dishwasher-safe)
- Powerful 150 watt motor
- Low-noise and low-vibration running
- Safety switch
- Release button for blades
- 230 V, 50 Hz, 150 W
- WxHxD approx. 420 x 130 x 60 mm

- Special serrated stainless steel multipurpose blade for precise cutting of all food, incl. frozen food (rustproof/ dishwasher-safe)
- Powerful 120 watt motor
- Stainless steel insert
- Low-noise and low-vibration running
- Safety switch
- Release button for blades
- Incl. storage box
- 220-240 V, 50/60 Hz, 120 W
- WxHxD approx. 490 x 65 x 55 mm



Incl. storage box



4 006 160 629 866























Incl. transparent mixing container

Hand blender SM 3577

(rustproof)

(500 ml)

Hanging loop

Stainless steel cutting blade

On/off switch (countersunk)

■ Incl. transparent mixing container

WxHxD approx. 80 x 330 x 80 mm

■ Powerful 180 watt motor

■ 220-240 V, 50 Hz, 180 W









Incl. transparent

mixing container

- Stainless steel cutting blade (rustproof)
- On/off switch (countersunk)
- Powerful 180 watt motor
- Incl. transparent mixing container (500 ml)
- Hanging loop
- **220–240 V, 50 Hz, 180 W**

Art. no. 263 921

Art. no. 263 922

Art. no. 263 923

4 006 160 639 216

4 006 160 639 223

4 006 160 639 230

WxHxD approx. 80 x 330 x 80 mm



Hand blender SM 3739



- Soft touch housing
- Stainless steel insert
- 2-level push-button switch
- High-performance 800 watt motor
- Stainless steel cutting blade
- Removable stainless steel hand blender
- Ergonomically shaped handle
- Hanging loop
- 220-240 V, 50-60 Hz, 800 W
- WxHxD approx. 65 x 370 x 65 mm

Art. no. 263 979

4 006 160 639 797





PU8

PU8

PU8

Art. no. 263 913 4 006 160 639 131

















Coarse grating e.g. carrots



Fine grating e.g. potatoes



Coarse cutting e.g. cucumbers



Shredding e.g. parmesan









Battery-powered hand blender for

■ Powerful lithium-ion battery with

and fast mixing, chopping and

Ergonomically shaped handle

splash-proof chopping

4-stage stainless steel blade for easy

Extra wide mixing head for safe and

Removable stainless steel mixing rod

Also suitable for hot food / hot pots

Multi-coloured operation indicator

■ Battery charging time approx. 2.5 h

Battery life up to 15 minutes

■ Charger: 220-240 V, 50/60 Hz

Battery: 11.1 V, 2200mAh (Battery: 1x Lithium-Ion, 145 g)

cables

pureeing


Safety switch

(easy to clean)

Stainless steel insert

flexible work in the kitchen without

Hand blender set SMS 3777



- Stainless steel hand blender (removable)
- Multi chopper with stainless steel blade and working container with scale (0,5 litre)
- Stainless steel whisk (removable)
- Silent DC motor (400 watt)
- 2 speed levels
- Ergonomically shaped rubberized handle for easier handling
- Holder for hand blender and whisk
- Incl. mixing container with scale (0.7 litre)
- Hanging loop
- 220-240 V, 50-60 Hz, 400 W
- WxHxD approx. 160 x 370 x 150 mm

Multi express ME 3604

- Electrical shredding unit "Multi Express"
- Large and changeable high-quality drum attachments made of stainless steel, for quick and easy cutting or grating
- Easy handling
- 5 functions:
 - cutting (fine/coarse) of, for example, onions, cucumbers
 - grating (fine/coarse) of, for example, carrots, radishes
 - shredding of, for example, parmesan, nuts, potatoes
- Powerful 150 W motor
- Large refill opening (approx. Ø 60 mm)
- Wide discharge opening (approx. Ø 80 mm)
- Accessories: 2 cutting attachments (fine/coarse), 2 grating attachments (fine/coarse), 1 shredding attachment
- 220-240 V, 50/60 Hz, 150 W
- WxHxD approx. 148 x 352 x 230 mm







































Multi chopper & ice crusher

Multi chopper MZ 3579

- 2 in 1 Multi chopper and ice crusher in one
- Mixing container (1 litre capacity)
- Removable stainless steel chopping blade (rustproof)
- Incl. ice crush function
- Secure stand
- Easy to clean
- 220-240 V, 50-60 Hz, 250 W
- WxHxD approx. 175 x 220 x 175 mm





Hand mixer HM 3775













- Powerful 250 watt motor
- 5 speed levels
- Eject button
- Stainless steel whisks and dough hooks
- All accessories are dishwasher-safe
- 230 V, 50 Hz, 250 W
- WxHxD approx. 180 x 280 x 90 mm

- Powerful 400 watt motor
- 5 speed levels
- Turbo setting
- Eject button
- Stainless steel whisks and dough hooks
- All accessories are dishwasher-safe
- **220–240 V, 50 Hz, 400 W**
- WxHxD approx. 190 x 150 x 80 mm



4 006 160 636 628

4 006160 636628






Art. no. 263 970















Hand mixer set HM 3524













- Hand mixer and blender ■ Powerful 300 watt motor
- 5 speed levels
- Turbo setting ■ Eject button
- Accessories: stainless steel whisks and dough hooks (extra-long), quick mixing rod
- Stainless steel whisks and dough hooks dishwasher-safe
- 220-240 V, 50-60 Hz, 300 W
- WxHxD approx. 200 x 145 x 90 mm







Hand mixer set HMS 2739



- Powerful 250 watt motor
- 5 speed levels
- Turbo setting
- Eject button
- Large mixing bowl with automatic drive
- Accessories: stainless steel knife, 2 stainless steel whisks, 2 stainless steel dough hooks, quick mixing rod with stainless steel knife
- All accessories dishwasher-safe
- **230 V, 50/60 Hz, 250 W**
- WxHxD approx. 300 x 350 x 200 mm



Incl. quick mixing rod



4 006 160 617 078





Incl. quick mixing rod










40







Variable electronic speed control

Kneading machine

KM 3712

- 5 litres stainless steel bowl for max. 2.5–3 kg dough preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Sturdy special gear
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Transparent splash protection lid with refill opening (removable)
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50 Hz, 1100 W
- WxHxD approx. 350 x 320 x 210 mm












4 006 160 638 776













42

Kneading machine KM 3709



- High-performance kneading machine with powerful 1000 watt
- Variable electronic speed control + pulse function
- 5 litres stainless steel bowl for max. 2.5–3 kg dough preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Sturdy special gear
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Rotary switch (blue illuminated)
- Transparent splash protection lid with refill opening (removable)
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50 Hz, 1000 W
- WxHxD approx. 366 x 299 x 215 mm









Rotary switch (blue illuminated)



4 006 160 638 714

Art. no. 263 873 EAN 4 006 160 638 738













Kneading machine KM 3711



- High-performance kneading machine with powerful 1100 watt
- Variable electronic speed control
- 5 litres stainless steel bowl for max. 2.5–3 kg dough preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Sturdy special gear
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Transparent splash protection lid with refill opening (removable)
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50 Hz, 1100 W
- WxHxD approx. 350 x 320 x 210 mm










4 006 160 638 745

4 006160 638745

Art. no. 263 875 4 006 160 638 752





EAN 4 006 160 638 769











1200 Watt

- High-performance kneading machine with extra-powerful 1200 watt
- 8 speed levels (0/1/2/3/4/5/6 + pulse function)
- 6.3 litres stainless steel bowl for max. 3–3.5 kg dough preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough

6.3 litres

stainless steel bowl

- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Sturdy special gear
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Transparent splash protection lid with refill opening (removable)
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 402 x 326 x 212 mm







35° swivelling multifunction arm



Art. no. 263 739

N 4 006 160 637 397

PU 1

Art. no. 263 753EAN 4 006 160 637 533











Kneading machine KM 3765



- Robust kneading machine with resistant metal gear
- 8 speed levels (0/1/2/3/4/5/6 + pulse function)
- Extra-large 10 litres stainless steel bowl for max. 6–6.5 kg dough preparation
- High-performance long-life professional motor (1500 watt)
- Consistent performance due to load-dependent electronic rotation speed control
- Aluminium die-cast stirring hook for light dough like short pastry dough, crumble dough or sponge mixture
- Aluminium die-cast dough hook for heavy dough like yeast dough, bread dough or pasta dough
- Stainless steel whisk for whipping of egg white, cream, meringue and many others
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit machine stops when lifting the arm
- Rotary switch (white illuminated)
- High-quality chrome application
- Transparent splash protection lid with refill opening
- Soft start for slow mixing
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 413 x 387 x 268 mm











Rotary switch (white illuminated)



AN 4 006 160 639 575

PU 1

Art. no. 263 958

N 4 006 160 639 582





LCD display

46



Incl. glass mixing container with scale and refill opening (1.5 litres)







Pasta attachments. e.g. for spaghetti, macaroni and tagliatelle





stainless steel bowl

XXL

(6.2 litres)

Kneading machine KM 3674

- High-performance kneading machine with extra-powerful 1200 watt
- Electronic timer function / LCD display (blue illuminated)
- Consistent performance due to load-dependent electronic rotation speed control
- 12 speed levels (0/1/23/4/5/6/7/8/9/10) + pulse function)
- Soft start for slow mixing
- 6.2 litres stainless steel bowl for max. 3–3.5 kg dough preparation
- Glass mixing container with scale and refill opening (1.5 litres)
- Aluminium die-cast stirring hook for light dough like short pastry dough, crumble dough or sponge mixture
- Aluminium die-cast dough hook for heavy dough like yeast dough, bread dough or pasta dough
- Stainless steel whisk for whipping of egg white, cream, meringue and many others
- Sturdy special gear
- 35° swivelling multifunction arm with unlocking mechanism
- Transparent splash protection lid with refill opening (removable)
- Safety circuit machine stops when lifting the arm
- Particularly easy to operate and clean
- Secure stand due to suction feet
- Quick-action chuck for holding the tools

■ Stainless steel cutter, metal neck, metal feed screw, metal refill tray, 3 stainless steel mincing disks, pastry attachment, sausage filler accessory, kebbe attachment

Pasta function

- Make pasta yourself with 3 different attachments for spaghetti, macaroni, tagliatelle
- 220–240 V, 50/60 Hz, 1200 W / WxHxD approx. 421 x 336 x 293 mm












steel cutter, metal feed screw, 3 stainless steel mincing disks, metall refill tray, pastry attachment, sausage filler accessory, kebbe attachment



Incl. mincer and pasta



Glass mixing container with scale and refill opening





















Food processor KM 3646







1000 Watt





- Stainless steel housing
- 4 speed levels (0/1/2 + pulse function)
- Mixing container with scale and refill opening (1.5 litres)
- Working container with scale and refill opening (1.0 litre)
- Cover for the refill opening can also be used as a measuring
- High-quality, interchangeable stainless steel attachments for cutting and grating
- Safety circuit
- Accessories (5in1): mixing container with scale and refill opening (1.5 litres), stainless steel cutting/grating insert, dough hook, beater blade, measuring cup (3 cl)
- Secure stand due to suction feet
- 220-240 V, 50 Hz, 500 W
- WxHxD approx. 190 x 370 x 190 mm

- Metal neck
- Metal feed screw
- Filling tray
- Stainless steel cutter
- 3 steel discs
- Reverse function
- Pastry attachment
- Sausage filler accessory
- Kebbe attachment oriental cuisine
- Carrying handle
- On/off switch
- 220–240 V, 50/60 Hz, 1000 W max.
- WxHxD approx. 303 x 295 x 137 mm



Accessories: 1x stainless steel cutting/grating insert, dough hook, beater blade



Incl. mixing container with scale and refill opening



Incl. 3 steel discs, pastry attachment, kebbe attachment, sausage filler accessory

Art. no. 264 001



4 006 160 637 816











48

- Stainless steel insert
- Metal neck
- Metal feed screw
- Metal filling tray
- Stainless steel cutter
- 3 steel discs
- Reverse function
- Pastry attachment
- Sausage filler accessory
- Kebbe attachment oriental cuisine
- On/off switch
- 220–240 V, 50 Hz, 1000 W max.
- WxHxD approx. 330 x 350 x 195 mm

Mincer FW 3506

- Chrome-plated front plate
- Metal neck
- Metal feed screw
- Metal filling tray
- Stainless steel cutter
- 3 stainless steel discs (7/5/3 mm)
- Reverse function
- Pastry attachment
- Sausage filler accessory
- Kebbe attachment oriental cuisine
- On/off switch
- Secure stand due to suction feet
- 220-240 V, 50/60 Hz, 1200 W max.
- WxHxD approx. 330 x 355 x 170 mm



Incl. 3 steel discs, pastry attachment, kebbe attachment, sausage filler accessory



4 006160 633153



partment for accessories



PREIS-/LEISTUNGSSIEGER


82,5 %

Heft 11/2015

kebbe attachment, sausage filler accessory







(€ €











- Universal mixer for pureeing, beating, chopping up, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ideal for kitchen and bar
- Ice crush function
- Powerful 500 watt motor max.
- 6 speed levels (0/1/2/3/4 + pulse/turbo function)
- Removable mixing container (1.5 litres)
- Lid with refill opening
- Cover for the refill opening can also be used as a measuring cup (2 cl)
- Stainless steel blade (rustproof)
- Safety circuit operation only possible with attached container
- Secure stand due to rubberized feet
- 220-240 V, 50/60 Hz, 500 W max.
- WxHxD approx. 160 x 400 x 160 mm







- Stainless steel universal mixer for pureeing, beating, chopping up, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ideal for kitchen and bar
- Stainless steel housing
- Ice crush function
- Powerful 650 watt motor
- 6 speed levels (0/1/2/3/4 + pulse function)
- Removable mixing container made of solid glass with scale (1.5 litres)
- BPA free
- Lid with refill opening
- Cover for the refill opening can also be used as a measuring cup (6.5 cl)
- 4-fold stainless steel blade with "piranha" cut for easy mixing (rustproof)
- Safety circuit operation only possible with attached container
- Secure stand due to rubberized feet
- 220-240 V, 50/60 Hz, 650 W
- WxHxD approx. 177 x 400 x 175 mm





4 006 160 635 836





4 006 160 637 809













■ Bar mixer and milk frother in one

cocktails, salsa sauces, baby food

Ideal for preparing fruit and fitness drinks, milk shakes,

Stainless steel container with up to 650 ml capacity

■ Convenient cup holder with safety circuit

Secure stand due to rubberized feet

■ WxHxD approx. 135 x 370 x 175 mm

Attractive chrome design

■ Ideal for bar and kitchen

■ Powerful 65 watt motor

Stainless steel mixing rod

230 V, 50 Hz, 65 W

■ 2 speed levels

CHRON



- Universal mixer for pureeing, beating, chopping up, shaking and mixing, consisting of base, mixing container and lid with drinking aperture
- "Mix & Go" Mix your favorite shake in a few minutes. With the practical drinking aperture, you can take your freshly prepared shake with you to work, school or sports
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Incl. recipe suggestions
- Mixing container also suitable as drinking cup
- Incl. lid with drinking aperture
- Ideal for kitchen, bar and on the road
- Powerful 250 watt motor
- 1 speed level (pulse function)
- Removable mixing container (600 ml)
- Stainless steel blade (rustproof)
- Safety circuit operation only possible with attached container
- All accessories dishwasher-safe
- Secure stand due to rubberized suction pads
- 220-240 V, 50 Hz, 250 W
- WxHxD approx. 130 x 370 x 125 mm





Smoothie maker EF SM 3593



Art. no. 264 559 4 006 160 645 590

Replacement bottle for





Incl. practical

Art. no. 263 480

4 006 160 634 808





.....

Art. no. 263 585















- Removable juice container with aroma protective cover (1.2 litres)
- 2 press cones
- Automatic start/stop function by pressing juicer cone
- Automatic clockwise/anticlockwise operation for optimal juice extraction
- Practical cord storage
- **230 V, 50 Hz, 40 W**
- WxHxD approx. 180 x 230 x 180 mm



Automatic juicer AE 3666



- Professional automatic juicer in high-quality stainless steel housing
- Fresh fruit and vegetable juices quickly prepared. Rich in vital substances for well-being, fitness and health
- 30 % more juice and vitamins
- Large filler spout (65 mm Ø)
- 3 speed levels (0/1/2) for different fruit hardness
- Pulp container (approx. 1.5 litres)
- Open juice spout
- Drip-stop due to a folding juice spout
- Lock with safety switch
- Stainless steel sieve for finest juices
- Can be completely disassembled quick and easy cleaning
- Secure stand due to rubberized suction pads
- 220-240 V, 50/60 Hz, 400 W max.
- WxHxD approx. 272 x 295 x 171 mm



Large filler spout (65 mm Ø)



Drip-stop due to a folding juice spout



Art. no. 262 988 4 006 160 629 880















Beer dispenser BZ 3740



- Professional automatic juicer in high-quality stainless steel housing
- Fresh fruit and vegetable juices quickly prepared. Rich in vital substances for well-being, fitness and health
- 30 % more juice and vitamins
- Extra large filler spout (75 mm Ø)
- Extracts the juice from apples, carrots and other fruits within seconds without having to chop them
- Powerful 1000 watt motor max.
- 3 speed levels (0/1/2) for different fruit hardness
- High volume pulp container (approx. 2.0 litres)
- Open stainless steel juice spout
- Flexible anti-drip juice spout no splashes and no wiping
- Lock with safety switch
- Stainless steel sieve for finest juices
- Can be completely disassembled quick and easy cleaning
- Secure stand due to rubberized suction pads
- 220-240 V, 50/60 Hz, 1000 W max.
- WxHxD approx. 300 x 400 x 220 mm

- Stainless steel beer dispenser with CO₂-pressure cartridge system (for all standard 5 litres kegs)
- High-performance and pleasant alternative to annoying shifting of crates
- Ideal for private use e.g. small parties in the basement or garden/terrace
- Suitable for all standard 5 litres kegs as well as 5 litres "Heineken" kegs (with integrated CO₂)
- Continuously adjustable pressure for the correct amount of foam - enjoy beer like in a tavern
- LED display for comfortable temperature control / refrigeration from 2°C-12°C
- Easy installation of kegs ready to use within a few minutes
- Stainless steel removable drainage grille and drip pan removable for easy cleaning
- User-friendly and easy to clean
- Accessories: 3 CO₂ cartridges, cleaning kit, tap tool, adapter for barrels of the "Heineken" brand, universal adapter
- 220-240 V, 50 Hz, 65 W
- WxHxD approx. 275 x 475 x 495 mm



Extra large filler spout



Drip-stop – no splashes and no wiping



Continuously adjustable pressure Incl. 3 CO₂ cartridges for the correct amount of foam enjoy beer like in a tavern





Suitable for all standard 5 litres



Art. no. 263 612 4 006 160 636 123



4 006 160 639 209













Stainless steel

Stainless steel kitchen KW 3412



KW 3626

Glass kitchen scale

- Extra-flat digital kitchen scale ■ Weighing surface made of highquality glass
- Clearly legible LCD display
- Measurement range up to 5000 g (in 1 g steps)
- Adjustable measuring units: g, lb-oz, ml, fl-oz
- Automatic shutdown increases battery life
- On/off switch
- Tare function (additive weighed function)
- Secure stand due to rubberized feet
- Low battery indication
- Battery operation: 1x CR 2032 (battery included) (Battery: 1x lithium, 2.80 g)
- WxHxD approx. 150 x 17 x 220 mm

■ Extra-flat digital kitchen scale

Stainless steel kitchen

KW 3367


- Weighing surface made of stainless steel
- Clearly legible LCD display
- Measurement range up to 5000 g (in 1 g steps)
- Adjustable measuring units: kg, g, lb, oz
- Automatic shutdown increases battery life
- On/off switch

scale

- Tare function (additive weighed function)
- Battery operation: 2x AAA (batteries not included)
- WxHxD approx. 150 x 20 x 180 mm

- Extra-flat digital kitchen scale
- Weighing surface made of stainless steel
- Clearly legible LCD display (blue illuminated)
- Measurement range up to 5000 g (in 1 g steps)
- Adjustable measuring units: kg, g, lb, oz
- Automatic shutdown increases battery life
- On/off switch
- Tare function (additive weighed function)
- Hanging loop (blue illuminated)
- Battery operation: 3x AAA (batteries included) (Batteries: 3x zinc-carbon, 6 g)
- WxHxD approx. 170 x 15 x 230 mm






CE




PU₆

CE





PU₆





Food dryer DR 2751

- Food dryer for drying fruit, vegetables, herbs, meat and more. Rich in essential minerals for well-being, fitness and
- Variable use due to 5 stackable levels (easy cleaning) for up to 3.5 kg of food to be dried*)
- Circulating air blower, circulating air function
- On/off switch
- Overheating protection
- 230 V, 50 Hz, 250 W
- WxHxD approx. 285 x 160 x 315 mm
- *) For processing/drying foods that contain large amounts of water such as apples,



Food dryer DR 3525



- Food dryer for drying fruit, vegetables, herbs, meat and more. Rich in essential minerals for well-being, fitness and health
- 2 temperature levels
- Variable use due to 5 transparent and stackable levels (easy cleaning) for up to 2.5 kg of food to be dried*)
- Circulation fan, air circulation function
- Overheating protection
- 220-240 V, 50 Hz, 300 W
- WxHxD approx. 330 x 315 x 327 mm
- *) For processing/drying foods that contain large amounts of water such as apples,



Variable use due to 5 stackable levels (easy cleaning)











and stackable levels (easy cleaning)













Food dryer DR 3773



- Food dryer for drying fruit, vegetables, herbs, meat, mushrooms, fish and more. Rich in essential minerals for well-being, fitness and health
- Drying is a very gentle method all ingredients are preserved
- Preparation of e.g. muesli bars, beef jerky, dried vegetable broth, granola or vegetable chips possible
- HIGH-PERFORMANCE: Dries fruit, vegetables, meat and other foods in record time to produce delicious, long-lasting snacks and ingredients without food additives.
- RIGHT TEMPERATURE: Whether preparing vitamin-rich dried fruit such as apple and banana chips or healthy vegetables such as dried tomatoes – the right temperature can be set for every taste.
- AIRFLOW CIRCULATION: Even heat distribution thanks to 360° airflow circulation ensure that no water remains in the food and that the drying time is short.

- EASY TO CLEAN: Cleaning after the drying process is not complicated at all: the 6 stainless steel storage grids and the drip tray can be rinsed off easily.
- Also suitable for preparing high-quality pet food/treats such as dried meat
- Large interior with up to 6 usable levels
- Approx 0.45 m² for up to 2.6 kg of food to be dried*)
- Comes with 6 stainless steel storage grids (29.5 x 24.5 cm per grid) for various dried foods (durable, food safe, hygienic, easy to clean, dishwasher-safe)
- Heat-insulated door with large viewing window
- On/off switch with indicator light
- Continuous temperature setting (35–70 °C)
- Overheating protection
- Accessory: 1x drip tray for fat residues and crumbs (BPA free)
- 220-240 V, 50-60 Hz, 400 W
- WxHxD approx. 325 x 295 x 370 mm
- *) For processing/drying foods that contain large amounts of water such as apples, pineapple etc.



Incl. 6 stainless steel storage grids/ drying trays for various dried foods



AIRFLOW CICRCULATION: Even heat distribution thanks to 360° airflow circulation



Art. no. 263 967

4 006 160 639 674

PU 1









Bag sealer FS 3261







- Ideal for dividing food into portions
- Electronic power adjustment
- Seals and separates in one operation
- Strong extraction pump
- With viewing window for foil stock
- 2 indicator lights
- Cord storage in base
- Incl. 1 foil roll (3 m)
- 220-240 V, 50/60 Hz, 100 W
- WxHxD approx. 330 x 80 x 125 mm

Spare rolls:

Art. no. 8900 216

EAN 4 006 160 900 217 PU 10

Electric lunchbox – ideal for heating food in the office, at school or on the go

no CM RON

- Capacity approx. 1.7 litres
- Removable two-part container for food
- Incl. 2 removable high-quality food containers
- Lunchbox lid, 2 food containers suitable for microwave and dishwasher
- Practical carrying handle
- 4-point locking for safe transport
- Heating food up to 75 °C
- Removable steam outlet for easy cleaning
- Indicator light
- Easy use and cleaning
- Removable mains cable
- Accessories: 2 food containers, spoon integrated in the lid, fork and knife
- 220-240 V, 50/60 Hz, 30-40 W
- WxHxD approx. 235 x 100 x 170 mm





N 4 006 160 630 831

PU 6








Incl. removable food container with lid for e.g. inserts / dessert (microwave and dishwasher-safe)



4-point locking for safe transport















Fondue deep fat pan FFR 2916

- Cool touch housing
- Capacity: 1 litre oil/frying fat
- Deep frying basket with removable handle
- Continuously adjustable thermostat
- Control panel with display
- 6 fondue forks (colour marked)
- Protective ring against spray/fork holder
- Changeable odour and fumes filter
- Overheating protection
- 220-240 V, 50/60 Hz, 840 W
- WxHxD approx. 190 x 240 x 190 mm

Deep fat fryer FR 3771



- Capacity: approx. 2.5 litres oil/frying fat
- Oil container (non-stick coated)
- Large frying basket
- Pop-up lid with viewing window (detachable)
- Continuously adjustable thermostat with indicator light (130°C-190°C)
- 2 indicator lights for temperature and operation
- Odour and fumes filter
- 2 carry/handle recesses
- 220-240 V, 50/60 Hz, 1800 W
- WxHxD approx. 300 x 215 x 300 mm



Art. no. 282 232


4 006 160 822 328

4 006160 822328



Capacity: approx. 2.5 litres



















Deep fat fryer FR 3649

58

- Stainless steel applications
- Capacity: 2.5 litres of oil/frying fat
- Oil container (non-stick coated)
- Pop-up lid with viewing window (detachable)
- Continuously adjustable thermostat (130 °C–190 °C)
- 2 indicator lights for temperature and operation
- Odour and fumes filter
- Drip tray
- Carrying handles (heat-insulated)
- Overheating protection
- 220-240 V, 50/60 Hz, 1600 W
- WxHxD approx. 310 x 230 x 310 mm

- Oil and fat free hot air fryer
- Low emission of fumes and odours
- Time and energy-saving cooking
- Cool touch handle
- Capacity: 1.8 litres
- Removable container (non-stick coated) with safety switch

1.8 litres

- Continuously adjustable thermostat (80°C-200°C)
- 30 minutes timer with end signal
- Indicator light
- Overheating protection
- 220-240 V~, 50-60 Hz, 1000 W
- WxHxD approx. 220 x 390 x 270 mm



Capacity: 2.5 litres



AN 4 006 160 637 731

PU 2








360° air flow: Oil and fat free frying by hot air circulation



Capacity: 1.8 litres



























Hot air fryer FR 3780 H



- Low emission of fumes and odours
- Time and energy-saving cooking
- Cool touch handle
- Capacity: 3.6 litres
- Non-stick coated container
- Practical carrying handle (foldable)
- Continuously adjustable thermostat (80 °C-200 °C)
- 30 minutes timer with end signal
- 2 indicator lights for temperature and operation
- Automatic switch-off
- Overheating protection
- 220-240 V, 50-60 Hz, 1350 W
- WxHxD approx. 265 x 305 x 300 mm

Hot air fryer FR 3699 H

- Oil and fat free hot air fryer
- Low emission of fumes and odours
- Time and energy-saving cooking
- Cool touch handle
- Capacity: 3.6 litres
- Non-stick coated container
- Continuously adjustable thermostat (80°C-200°C)
- 30 minutes timer with end signal
- 2 indicator lights for temperature and operation
- Overheating protection
- 220-240 V, 50/60 Hz, 1400 W
- WxHxD approx. 265 x 320 x 340 mm



Practical carrying handle (foldable)



360° air flow: Oil and fat free frying by hot air circulation




Capacity: 3.6 litres



360° air flow: Oil and fat free frying by hot air circulation



Capacity: 3.6 litres



4 006 160 639 759

PU₂















.....

- Oil and fat free hot air fryer
- Stainless steel front
- 8 automatic programs incl. individual time/temperature settings
- Low emission of fumes and odours
- Time and energy-saving cooking
- Cool touch handle
- Capacity: approx. 5.0 litres
- LED display with sensor touch operation
- Non-stick coated container
- Continuously adjustable thermostat (80°C–200°C)
- Automatic switch-off
- Overheating protection
- 220–240 V, 50/60 Hz, 1450 W
- WxHxD approx. 250 x 303 x 327 mm



360° air flow: Oil and fat free frying by hot air circulation



XXL capacity: 5.0 litres



Art. no. 263 980

AN 4 006 160 639 803



















Hot air fryer FR 3747 H



- Versatile hot air fryer for a low-fat diet
- Tasteful preparation with up to 80 % less fat*)
- Low emission of fumes and odours
- Much healthier, because dishes cooked with hot air get more vitamins and nutrients*)
- 9 automatic programs incl. variable time and temperature settings
- Incl. dehydrator function also suitable for vitamin-preserving dehydration of e.g. fruit, vegetables, herbs, meat and more. Rich in vital substances for well-being, fitness and health
- Time and energy-saving cooking
- Cool touch handle with stainless steel insert
- Capacity: approx. 11 litres
- 4 insertion heights for optimum baking results
- LED display with sensor touch operation
- Continuously adjustable thermostat (up to 200 °C max.)
- Timer with end signal
- Large viewing window
- Oven light switchable
- Overheating protection
- Extensive accessories:
- Rotating frying basket
- Revolving spit for e.g. crispy grilled chicken
- 2 slide-in grilles for simultaneous preparation of different food
- Baking tray / fat collecting tray
- Extraction tool
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 340 x 370 x 330 mm



Rotating frying basket



Revolving spit for e.g. crispy grilled chicken, kebab/gyros



Baking tray / fat collecting



2 slide-in grilles for simultaneous preparation of different food





4 006 160 639 377







^{*)} compared to conventional deep fat fryers



- Housing, lid and heating coil made of stainless steel
- Cold zone technology heating coil immersed directly in the oil for rapid heating and for odourless frying
- Capacity: 3 litres of oil/frying fat
- Continuously adjustable thermostat with indicator light
- Fat container enamelled (removable)


Stainless steel deep fat fryer


- Stainless steel heating coil (removable)
- Drip tray

FR 3586


- Carrying handles (heat-insulated)
- Cord storage
- Overheating protection
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 215 x 240 x 405 mm

- Stainless steel deep fat fryer FR 3587
- Housing, lid, heating coil and fat container made of stainless steel
- Cold zone technology heating coil immersed directly in the oil for rapid heating and for odourless frying
- Capacity: 3 litres of oil/frying fat
- Continuously adjustable thermostat with indicator light
- Lid with viewing window
- Stainless steel fat container (removable)
- Stainless steel heating coil (removable)
- Drip tray
- Carrying handles (heat-insulated)
- Changeable odour and fumes filter
- Cord storage
- Overheating protection
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 215 x 240 x 405 mm









Drip tray

Cold zone technology
























- Professional double deep fat fryer with 2 small frying baskets and one large frying basket for different types of food
- Housing, lid and heating coil made of stainless steel
- Cold zone technology heating coil immersed directly in the oil for rapid heating and odourless frying
- Capacity: 4 litres of oil/frying fat
- Fat container enamelled (removable)
- Splash protection lid with filter
- Continuously adjustable thermostat up to 190°C
- 2 indicator lights for temperature and operation
- Overheating protection
- 220-240 V, 50 Hz, 2000 W
- WxHxD approx. 227 x 375 x 385 mm







Inkl. 2 kleinen Frittierkörben und einem großen Frittierkorb (Kapazität: 4 Liter Öl/Fett)

- Rice cooker and steam cooker in one
- Rice cookler for easy preparation and keeping warm all types of rice, pulses, soups, cereals
- Additional aluminium steamer insert for vitaminretaining steam cooking of e.g. vegetables, potatos and fish
- Safety glass lid with steam outlet
- Removable pot (non-stick coating)
- For max. 1300 g gross weight (yields approx. 2500 g cooked rice)
- Automatic keep warm mode
- Automatic switch-off (energy-saving)
- On/off switch
- Cool touch handles
- Removable supply cable
- Safety function: can only be switched on when pot is in position
- 3 indicator lights for cooking, keeping warm and mains
- Accessories: measuring cup (160 ml max.), rice spoon
- 220-240 V, 50 Hz, 700 W
- WxHxD approx. 310 x 310 x 260 mm



Incl. aluminium steamer insert



4 006 160 735 314











For breads up to 1500 g



Fast baking program







Rice cooker







RK 3567

64

- Rice cooker and steam cooker in one Rice cookler for easy preparation and keeping warm all types of rice, pulses, soups, cereals
- Stainless steel housing
- Additional aluminium steamer insert for vitaminretaining steam cooking of e.g. vegetables, potatos and fish
- Safety glass lid with steam outlet
- Removable pot (non-stick coating)
- For max. 1300 g gross weight (yields approx. 2500 g cooked rice)
- Automatic keep warm mode
- Automatic switch-off (energy-saving)
- On/off switch
- Cool touch handles
- Removable supply cable
- Safety function: can only be switched on when pot is in
- 3 indicator lights for cooking, keeping warm and mains
- Accessories: measuring cup (160 ml max.), rice spoon
- 220-240 V, 50 Hz, 700 W
- WxHxD approx. 310 x 310 x 260 mm

- Fully automatic dough and bread preparation (kneading, rising, baking)
- Non-stick coated baking tin (removable)
- Baking tin with 3 litres capacity (for breads up to 1500 g)
- 12 baking programs / 53 possible combinations
- Programs: Normal, french, wholemeal, gluten-free bread, fast I, sweet, fast II, dough, jam, cake, sandwich, baking
- Post baking function
- Keep warm function
- Electronic control panel with LCD display
- Timer programming up to 13 hours
- Variably settable dough quantity
- Variable crust browning control (light, medium, dark)
- Cool touch housing
- Lid with viewing window (removable)
- 220-240 V, 50 Hz, 550 W
- WxHxD approx. 280 x 300 x 330 mm



Incl. aluminium steamer insert



4 006 160 632 361























- Steamer for the healthy cooking of food without burning vitamins
- 3 steam cooking containers, 1 lid, 1 rise bowl Semi-transparent water tank (1.5 litres)
- Drip bowl for collecting liquids
- 60 minutes timer
- Water level indicator
- Water refilling possible during operation
- Easy to clean
- Overheating protection
- 220-240 V, 50 Hz, 800 W
- WxHxD approx. 325 x 400 x 240 mm





Steamer DG 3547



- Steamer for the healthy cooking of food without burning vitamins
- Water inflow limiter faster steam generation
- 3 steam cooking containers, 1 lid, 1 rise bowl
- Stainless steel base
- Programmable digital timer
- Incl. LCD display (blue illuminated)
- Incl. power indicator light
- Drip bowl for collecting liquids
- Water level indicator
- Water refilling possible during operation
- Easy to clean
- Overheating protection
- 220-240 V, 50/60 Hz, 700-800 W
- WxHxD approx. 310 x 445 x 240 mm



Stainless steel base incl. LCD display / timer with




Art. no. 263 802

4 006 160 638 028
















66



Hot dog maker & egg boiler

Hot dog maker HDM 3420 EK N





- For 1 to 14 small sausages (e.g. "Frankfurter", "Vienna sausages")
- Heated stainless steel skewer
- Preparation of up to 6 eggs
- Removable egg holder
- Transparent steam tank (removable)
- Non-stick coated water bowl
- 2 separate switches for skewer and steamer (blue illuminated)
- Incl. measuring cup with egg pricker
- 230 V, 50 Hz, 380 W
- WxHxD approx. 235 x 270 x 160 mm









Contact grill KG 3487



- Contact grill for double-sided, fat-free grilling
- Fat drainage channel and collecting tray (tray removable for easy cleaning)
- 2000 watt
- Stainless steel housing
- Continuously adjustable thermostat
- Short cooking times
- Non-stick grill plates with extra deep grooves for strong grill pattern and smooth fat drainage
- Large, heat-insulated handle
- 2 indicator lights for power and heating
- Temperature "ready" display
- Large grill area: approx. 29.5 x 23.5 cm
- Cord storage
- Versatile use for e.g. panini, steaks, fish or vegetables
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 335 x 145 x 335 mm





4 006 160 511 369







Stainless steel housing



4 006 160 616 705













180° opening

Ceramic coated



Contact grill KG 3571



Party pan PP 3401



- Contact grill for double-sided, fat-free grilling
- Barbecue grill 180° opening enables grilling on a large
- Fat drainage channel and collecting tray (tray removable for easy cleaning)
- 2000 watt
- Stainless steel housing
- Continuously adjustable thermostat
- Short cooking times
- Scratch-resistant, ceramic coated grill plates with extra deep grooves for strong grill pattern and smooth fat drainage
- Large, heat-insulated handle
- 2 indicator lights for power and heating
- Temperature "ready" display
- Large grill areas: 2x approx. 29.5 x 23.5 cm
- Cord storage
- Versatile use for e.g. panini, steaks, fish or vegetables
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 356 x 145 x 336 mm

- Party pan for cooking, roasting, steaming, defrosting and keeping warm
- Fast heating and long heat retention
- Removable supply line with continuously adjustable thermostat
- Non-stick coated pan (easy to clean)
- Ø 32 cm, depth: 3.5 cm
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 380 x 160 x 400 mm



Scratch-resistant ceramic coating




Stainless steel housing



Barbecue grill – 180° opening enables grilling on a large surface

Art. no. 263 657

4 006 160 636 574





.....











Ceramic coated

Party pan PP 3570 C








- Party pan for cooking, roasting, steaming, defrosting and keeping warm
- Fast heating and long heat retention
- Removable supply line with continuously adjustable
- Ceramic coated pan (scratch-resistant and easy to clean)
- Ø 42 cm, depth: 9 cm
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- 220–240 V, 50/60 Hz, 1500 W
- WxHxD approx. 430 x 145 x 490 mm

- Pizza/party pan for cooking, roasting, steaming, defrosting, keeping warm and making pizzas
- Fast heating and long heat retention
- Removable supply line with continuously adjustable thermostat
- Non-stick coated pan (easy to clean)
- Ø 36 cm, depth: 3.5 cm
- Heat-resistant glass/metal lid with handle
- Heat-insulated carrying handles
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 430 x 160 x 360 mm



Scratch-resistant ceramic coating



4 006 160 636 567

PU 2


























Viewing window

Incl. pizza lifter and pizza cutter





- Pizzamaker for enjoying original Italian stone-oven pizza at home
- Oven-fresh pizza just like from the stone oven
- Also suitable for making tarte flambée, pizza rolls, bruschettas, fajitas, etc.
- Also suitable for baking frozen pizzas
- Real pizza stone:
 - Approx. Ø 32 cm
 - Handles for easy removal and cleaning
 - Also suitable as a practical serving aid freshly baked pizza straight to the table
- Also ideal for single households and as an alternative to a fast-food restaurant
- Energy-saving alternative to the oven
- Pizza in under 5 minutes
- Continuously adjustable thermostat for baking temperatures up to 350°C
- 15 minutes timer
- Lid with large viewing window and heat-insulated handles
- Incl. recipe suggestions
- Secure stand due to rubberized feet
- Overheating protection
- Incl. 2x pizza lifter and 1x professional pizza cutter
- 220-240 V, 50/60 Hz, 1200 W
- WxHxD approx. 390 x 200 x 380 mm





Handles for easy removal and cleaning



Also suitable as a practical serving aid

.....



Incl. 2x pizza lifter and 1x professional pizza cutter



Pizza in under 5 minutes



Art. no. 263 985

4 006 160 639 858













RG 3592



COOL TOUCH HOUSING







■ 2 persons raclette


Raclette grill

- Cool touch housing
- For grilling and baking
- Grill area: approx. 20.5 x 10.5 cm
- 2 pans
- Grill plate and pans non-stick coated (easy to clean)
- 230 V, 50 Hz, 350 W
- WxHxD approx. 300 x 105 x 105 mm

- Cool touch housing
- For grilling and browning
- Removable grill plate
- Grill plate and pans non-stick coated (easy to clean)
- 8 pans
- 8 wooden spatulas
- Continuously adjustable thermostat
- Indicator light
- Grill area: approx. 40.5 x 30 cm
- Secure stand due to rubberized feet
- **220–240 V, 50/60 Hz, 1200–1400 W**
- WxHxD approx. 425 x 128 x 335 mm



8 wooden spatulas



N 4 006 160 636 949

PU 6









Art. no. 263 971









Raclette grill RG 3757

- Cool touch housing
- For grilling and browning
- Removable grill plate
- Grill plate and pans non-stick coated (easy to clean)
- 8 pans
- 8 wooden spatulas
- Continuously adjustable stainless steel thermostat
- Temperature "ready" display
- 2 indicator lights
- Grill area: approx. 42 x 21 cm
- Secure stand due to rubberized feet
- 220-240 V, 50-60 Hz, 1200-1400 W
- WxHxD approx. 420 x 120 x 210 mm









COOL TOUCH HOUSING

Raclette grill RG 3518



- Cool touch housing
- For grilling and browning
- Turning iron plate combination grill area for grilling fish (smooth surface) or meat (extra deep grooves for an intense
- Natural grill stone for low-fat, vitamin gentle preparation
- Total grill area: approx. 46 x 23 cm (2x approx. 23 x 23 cm)
- 8 pans
- 8 wooden spatulas
- Continuously adjustable thermostat (blue illuminated)
- Grill plate and pans non-stick coated (easy to clean)
- 220-240 V, 50/60 Hz, 1200-1400 W
- WxHxD approx. 465 x 150 x 235 mm



Natural grill stone for low-fat, vitamin gentle preparation



Continuously adjustable thermostat (blue illuminated)





Combination grill area for grilling fish or meat (turning iron plate)




8 wooden spatulas



4 006 160 639 469



















72





COOL TOUCH HOUSING








Electric charcoal lighter EGA 3404



- Raclette grill with hot stone and turning iron plate
- For grilling and browning
- Turning iron plate combination grill area for grilling fish (smooth surface) or meat (extra deep grooves for an intense
- Natural grill stone for low-fat, vitamin gentle preparation
- 180° swivel joint allows variable positions of the two grilling plates - comfortable even for several persons
- Can also be used as a raclette for 4 people
- Grill areas: 2 x approx. 380 x 115 mm
- 8 pans
- 8 wooden spatulas
- Grill plate and pans non-stick coated (easy to clean)
- 2x on/off switch with indicator light (blue illuminated), grill areas separately switchable
- 220–240 V, 50/60 Hz, 1200 Watt (2x 600 Watt)
- WxHxD approx. 530 x 150 x 250 mm

- Electric charcoal lighter for the safe ignition of grilling charcoal and charcoal briquettes
- No chemicals, no smells
- For clean, fast grilling enjoyment
- Minimal smoke emission
- Barbecue fire ignited in about 10 minutes
- Simple operation
- Large ignition surface with 3 filaments
- Incl. metal storage aid (wall mounting possible, incl. mounting material)
- Heat-insulated handle (ergonomically designed)
- Easy to clean
- 220-240 V, 50/60 Hz, 800 W
- WxHxD approx. 200 x 75 x 510 mm





180° swiveling

Can also be used as a raclette for 4 people



Variable and infinitely adjustable




4 006 160 638 158

(€ €



Art. no. 271 676



















Fondue set FD 3783



- Stainless steel fondue pot, rustproof (Ø 18.5 cm)
- Filling capacity up to 1.2 litres max.
- Also ideal for chocolate & cheese fondue
- Fondue pot with encapsulated sandwich base for perfect heat distribution - also usable individually on different hobs (gas, electric, glass ceramic, halogen)
- Separate, stable hotplate made of stainless steel
- Continuously adjustable thermostat (illuminated)
- Overheating protection
- Thermal fuse
- Stainless steel splash protection with fork holder (removable)
- Accessories: 8 stainless steel fondue forks (colour marked)
- 220-240 V, 50/60 Hz, 1200-1400 W
- WxHxD approx. 285 x 180 x 185 mm









Continuously adjustable thermostat (illuminated)



Art. no. 263 981

4 006 160 639 810









Electric beef grill EBG 3760



- Professional electric top heat grill with grill temperatures of 850 °C for the perfect steak
- Ceramic high-performance infrared burner with 1600 watt
- Perfect for an especially crispy crust
- The inside of the steak remains always tender and juicy meat pleasure as with the professional
- Cool touch housing; through active cooling ideal suitable for indoor/kitchen use
- Multifunction display LED display with sensor touch operation and stainless steel knob
- 5 electrical grilling programs
- Manual operation of temperature and time
- Electrical post cooking function
- Height-adjustable stainless steel grilling grid adaption to the meat thickness through variable insertion heights
- Stainless steel slide-in system for grilling grid and fat collecting tray/warming tray
- Perfect for finishing sous-vide cooked meat
- Also suitable for preparing casseroles, pizzas and vegetables
- Grill area: approx. 24,5 x 16 cm
- Secure stand
- Included:
 - Stainless steel grilling grid (individually adjustable via different insertion heights)
 - Stainless steel extraction tool
 - Stainless steel fat collecting tray/warming tray
- All accessories are dishwasher-safe
- 230 V, 50 Hz, 1600 W
- WxHxD approx. 240 x 300 x 320 mm



Grilling grid and extraction tool made of high-quality stainless steel



touch operation and stainless steel knobs



Art. no. 263 950 4 006 160 639 506







74





■ Table grill in an attractive design

- Cool touch housing
- On/off switch with indicator light

with low smoke emission and low

- Removable grill and heating elements for easy cleaning
- Metal drip tray

smell

- Grill area: 35.5 x 24.5 cm
- **230 V, 50 Hz, 2000 W**
- WxHxD approx. 480 x 100 x 360 mm

- Table grill in an attractive design
- Continuously adjustable thermostat with indicator light

with low smoke emission and low

- Chromed grilling grid
- Removable grill and heating elements for easy cleaning
- Cool touch housing
- Metal drip tray

smell

- Wind protection
- Grill area: 36 x 25 cm
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 510 x 145 x 370 mm

- grill BQS 3508 Standing grill in an attractive design
- smell Continuously adjustable thermostat with indicator light

with low smoke emission and low

- Chromed grilling grid
- Removable grill and heating elements for easy cleaning
- Cool touch housing
- Metal drip tray
- Wind protection (removable)
- Additional middle shelf
- Can be converted to a table grill
- Grill height: approx. 80 cm
- Grill area: 35.5 x 24.5 cm
- **230 V, 50 Hz, 2000 W**
- WxHxD approx. 510 x 820 x 370 mm




Can be converted to a table grill Art. no. 261 697



4 006 160 629 521









PU₄






Integrated temperature display







- Sturdy grill hood with integrated temperature display
- Control knobs for continuous temperature setting
- 48,5 x 37,5 cm grill area comprising of one enamelled grilling grid (dishwasher-safe)
- 48,5 cm long warming rack (enamelled)
- Removable fat collecting tray for easy cleaning
- 2x burners
- Housing and side trays made of powder-coated steel
- Two wheels for convenient movement
- Convenient storage basket for different grilling utensils
- Large storage room / storage for gas bottle
- Including gas pressure reduction valve and gas tube for Germany and Austria

Specifications

- Burners: 2
- Main burner: 2x 2,75 kW / 5,5 kW
- Gas consumption: 400 gr/h
- Operating pressure: 50 mbar
- Ignition: Piezo ignition system
- Gas category: 13B/P(50)
- Gas type: Butane, propane, or their mixtures
- Target destinations: D, A
- WxHxD approx. 970 x 1000 x 550 mm



Grilling grid and warming rack (enamelled)



Convenient storage basket for different grilling utensils



Art. no. 263 692 4 006 160 636 925





76

CITC CLATRONC®

Doner, chicken and shashlik grill





- DEUTSCHLANDS
 BESTE

 WARRENT CONTROLLED

 WARREN
- Doner vertical multigrill for fat-free grilling of chickens, kebab/gyros or meat skewers
- Due to the vertical position, the escaping gravy drips directly into the stainless steel fat collecting tray
- Incl. 1 rotary spit (large) for chickens or kebab/gyros
- Incl. 6 separately rotating meat skewers (small)
- Incl. stainless steel tong
- On/off switch
- Indicator light
- 220–240 V, 50/60 Hz, 1400 W
- WxHxD approx. 255 x 350 x 255 mm





1 rotary spit (large) for chickens or kebab/gyros





6 separately rotating meat skewers (small)

Art. no. 263 831 EAN 4 006 160 638 318 PU 2








Mini oven MB 3746



- 8 litres oven capacity
- Top and bottom heat
- 2 quartz heating elements
- 60 minutes timer with end signal
- 2 variable insertion heights for optimum baking results
- Stepless temperature control (100 °C–230 °C)
- Stainless steel handle (cool touch)
- Double glazed door with large viewing window
- Indicator light
- Incl. grilling grid, baking tray
- Incl. tongs for removing the grilling grid and baking tray
- Removable crumb tray
- 220-240 V, 50/60 Hz, 650 W
- Wx Hx D approx. 360 x 200 x 219 mm



Incl. baking tray (25 x 18 cm)





.....













Multi pizza oven MPO 3520





MBG 3726




- Approx. 12 litres oven capacity
- Pizza oven ideal for grilling and crisping up
- Large grilling grid, perfect for pizza (26 x 25 cm)
- Including baking tray (23.5 x 22 cm)
- Top and bottom heat (combined operation possible)
- 4-level switches:
- Top and bottom heat
- Top heat
- Bottom heat
- Off
- 2 quartz heating elements
- 60 minutes timer with end signal
- Stainless steel handle
- Crumb tray
- Overheating protection
- 220-240 V, 50/60 Hz, 1000 W
- WxHxD approx. 375 x 220 x 330 mm

- 20 litres oven capacity ■ Top and bottom heat (combined operation possible)
- 60 minutes timer with end signal
- 4-level switches:
 - Top and bottom heat
 - Top heat
 - Bottom heat
- Stepless temperature control (90 °C-230 °C)
- Double glazed door with stainless steel handle
- Indicator light
- Removable crumb tray
- Incl. grilling grid, baking tray
- Incl. tongs for removing the grilling grid and baking tray
- Large viewing window
- 220-240 V, 50/60 Hz, 1300 W
- WxHxD approx. 455 x 300 x 370 mm




Incl. baking tray (23.5 x 22 cm)







Incl. baking tray (30 x 25.5 cm)



















Convection

Multi oven MBG 3727









Pizza stone

- 25 litres oven capacity
- Convection
- Top and bottom heat (combined operation possible)
- Revolving spit
- 60 minutes timer with end signal
- 6-level switches:
 - Top and bottom heat
 - Top and bottom heat + convection
 - Top heat + convection
 - Top heat + revolving spit
 - Top and bottom heat + revolving spit + convection
- Stepless temperature control (100°C–230°C)
- Double glazed door with stainless steel handle
- Indicator light
- Removable crumb tray
- Incl. grilling grid, baking tray, revolving spit
- Incl. tongs for removing the grilling grid and baking tray, tool for removing the revolving spit
- Large viewing window
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 480 x 295 x 405 mm



Revolving spit

- 30 litres oven capacity Convection
- Top and bottom heat (combined operation possible)

Convection

- Revolving spit
- Pizza stone (Ø 29 cm)
- 90 minutes timer with end signal
- 6-level switches:
 - Top and bottom heat
 - Top and bottom heat + convection
 - Top heat + convection
 - Top heat + revolving spit
 - Top and bottom heat + revolving spit + convection
 - Off
- Stepless temperature control (100°C-230°C)
- Double glazed door with stainless steel handle
- Indicator light
- Removable crumb tray
- Incl. grilling grid, baking tray, revolving spit and pizza stone
- Incl. tongs for removing the grilling grid and baking tray, tool for removing the revolving spit
- Large viewing window
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 510 x 330 x 410 mm




Art. no. 263 901





Pizza stone (Ø 29 cm)



















Convection







- Mini kitchen KK 3786
- 3 in 1 Multi oven with 28 litres oven capacity
- 2 hotplates:
 - 1x Ø 18.5 cm, 1000 watt
 - 1x Ø 15.5 cm, 600 watt
- Powerful alternative to standard built-in ovens
- Stepless temperature control (100 °C–230 °C)
- Wide range of combination options:
 - Convection (can be switched on)
 - Top and/or bottom heat
 - Revolving spit for e. g. crispy grilled chickens
 - 2 hotplates (separately switchable)
- 3 indicator lights
- Double glazed door with cool touch handle
- Fat and crumb tray (removable)
- 3 insertion heights for optimum baking results
- Extensive accessories: grilling grid, baking tray, revolving spit, tongs for removing the grilling grid and baking tray, tool for removing the revolving spit, fat and crumb tray
- 220-240 V, 50/60 Hz, 3100 W max.
- WxHxD approx. 511 x 397 x 333 mm

- 700 watt microwave
- 20 litres oven capacity
- 6 microwave power levels
- Rotating plate: Ø approx. 24.5 cm
- 30 minutes timer with end signal
- Oven light
- Large viewing window
- **230 V, 50 Hz, 1150 W**
- WxHxD approx. 450 x 255 x 340 mm



3 in 1 Multi oven + 2 integrated hotplates



Art. no. 264 000
 EAN 4 006 160 640 007

Art. no. 263 892 EAN 4 006 160 638 929





PU 1











MWG 792









ELECTRONIC

Retro microwave with grill MWG 790




- 700 watt microwave
- 800 watt grill
- 20 litres oven capacity
- 5 microwave power levels
- 3 levels in combined operation (grill/microwave)

Microwave with grill

- 1 grill level
- Rotating plate: Ø approx. 24.5 cm
- Grilling grid: Ø approx. 21.0 cm
- 30 minutes timer with end signal
- Oven light
- Large viewing window
- 230 V, 50 Hz, 1150 W
- WxHxD approx. 450 x 255 x 340 mm

- 700 watt microwave
- 1000 watt grill
- 20 litres oven capacity
- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 1 grill level
- 9 automatic programs incl. defrost program
- Quick start function
- Timer function with up to 24 h time delay
- Rotating plate: Ø approx. 25.5 cm
- Grilling grid: Ø approx. 20.0 cm
- 95 minutes timer with end signal
- Quartz heating element
- Easy Tronic
- Digital clock
- Child lock
- Oven light
- Large viewing window
- **230 V, 50 Hz, 1050 W**
- WxHxD approx. 440 x 260 x 370 mm













Stand alone & under-cabinet mounting

Microwave with grill **MWG 778 U**

- Stainless steel front
- 800 watt microwave
- 1000 watt grill
- 20 litres oven capacity
- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 1 grill level
- 8 automatic programs
- Defrost programs (selectable according to time and weight)
- Quick start function
- Rotating plate: Ø approx. 24.5 cm
- Grilling grid: Ø approx. 21.0 cm
- 95 minutes timer with end signal
- Easy Tronic, digital clock, child lock
- Oven light
- Large viewing window
- Stand alone as well as under-cabinet mounting (incl. mounting material)
- 230 V, 50 Hz, 1250 W
- WxHxD approx. 460 x 285 x 370 mm



Built-under appliance

- Art. no. 253 130 4 006 160 531 305
- (€ €


- Built-in microwave with frame
- Stainless steel front, stainless steel interior

Built-in microwave with grill

- 800 watt microwave
- 1000 watt grill

MWG 2215 EB

- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 1 grill level
- 8 automatic programs
- Defrost programs (selectable according to time and weight)
- 20 litres oven capacity
- Rotating plate: Ø approx, 24.5 cm
- Grilling grid: Ø approx. 21.0 cm
- 95 minutes timer with end signal
- Start delay



- 230 V, 50 Hz, 1250 W
- Appliance (WxHxD): 465 x 359 x 339 mm
- Appliance with frame (WxHxD): 596 x 384 x 339 mm
- Weight: approx. 14 kg

Art. no. 622 151

4 004 470 221 510














- Built-in microwave with frame
- Stainless steel front, stainless steel interior
- 900 watt microwave
- 1100 watt grill
- 2500 watt convection
- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 2 levels in combined operation (microwave/convection)
- 1 grill level
- 10 temperature settings for convection (130 °C–220 °C)
- 10 automatic programs
- 2 defrost programs
- Quick start function
- 25 litres oven capacity
- Rotating plate: Ø approx. 32.0 cm
- Grilling grid: Ø approx. 26.0 cm
- 95 minutes timer with end signal
- Start delay
- Child lock
- Oven light
- 230 V, 50 Hz, 1450 W
- Appliance (WxHxD): 520 x 362 x 470 mm
- Appliance with frame (WxHxD): 595 x 460 x 470 mm
- Weight: approx. 21 kg







N 4 004 470 221 619










- Built-in microwave in frameless design
- Stainless steel front, stainless steel interior
- LCD display / Digital clock
- 900 watt microwave
- 1300 watt grill
- 2300 watt convection
- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 2 levels in combined operation (microwave/convection)
- 1 grill level
- 5 temperature settings for convection (100 °C–200 °C)
- 8 automatic programs
- Defrost program
- Quick start function
- 25 litres oven capacity
- Timer function with up to 24 h time delay
- Rotating plate: Ø approx. 27.0 cm
- Grilling grid: Ø approx. 22.2 cm
- 60 minutes timer with end signal
- Child lock
- Oven light
- 230 V, 50 Hz, 2300 W
- Appliance (WxHxD): 595 x 390 x 351 mm
- Weight: approx. 17 kg





Art. no. 630 011

N 4 004 470 300 116















Preserving boiler **EKA 3338**



- 1800 watt
- 25 litres tank capacity for up to 14 jars
- Enamelled housing (scratch-resistant)
- Closed pot bottom, concealed stainless steel heating element
- Stepless temperature control (30°C–100°C)
- Indicator light
- Integrated drain tap for practical filling of mulled wine, punch or other hot drinks, for example
- Hard-wearing enamel (tasteless)
- Grid insert
- Plastic handles (heat-insulated)
- Overheating protection
- 230 V, 50 Hz, 1800 W
- WxHxD approx. 455 x 495 x 435 mm







- Hotplate: Ø approx. 180 mm, 1500 watt
- Continuously adjustable thermostat
- Indicator light
- Heat-resistant finish
- Incl. 2 mountable cool touch handles for flexible and safe handling
- High stability
- Overheating protection
- **230 V, 50 Hz, 1500 W**
- WxHxD approx. 360 x 70 x 285 mm




25 litres tank capacity for up to 14 jars



Integrated drain tap



Stepless temperature control (30-100°C)



(€

4 006 160 631 357







Art. no. 271 698 4 006 160 716 986









Stainless steel single hotplate EKP 3788 E



- Hotplate: Ø approx. 180 mm, 1500 watt
- Continuously adjustable thermostat
- Indicator light
- Stainless steel housing
- Stainless steel surface easy to clean
- Incl. 2 mountable cool touch handles for flexible and safe handling
- High stability
- Overheating protection
- 230 V, 50 Hz, 1500 W
- WxHxD approx. 360 x 70 x 285 mm





Ideal for small kitchens, in the garden or on the go



Art. no. 263 986







86







Double hotplate DKP 3583





Stainless steel double hotplate DKP 3668 E



- 2 hotplates:
 - 1x Ø approx. 180 mm, 1500 watt
 - 1x Ø approx. 150 mm, 1000 watt
- 2 continuously adjustable thermostats
- 2 indicator lights
- Heat-resistant finish
- Incl. 2 mountable cool touch handles for flexible and safe handling
- High stability
- Overheating protection
- 230 V, 50 Hz, 2500 W
- WxHxD approx. 570 x 70 x 285 mm

- Stainless steel housing
- 2 hotplates:
 - 1x Ø approx. 180 mm, 1500 watt
- 1x Ø approx. 150 mm, 1000 watt
- 2 continuously adjustable thermostats
- 2 indicator lights
- Stainless steel surface easy to clean
- Incl. 2 mountable cool touch handles for flexible and safe handling
- High stability
- Overheating protection
- **230 V, 50 Hz, 2500 W**
- WxHxD approx. 590 x 70 x 280 mm (with handles)



Art. no. 271 699







Art. no. 271 722



- Induction single hotplate with high-quality, eco-friendly glass-ceramic cooking surface
- Scratch-resistant smooth cooking surface (very easy to clean)
- Heating only takes seconds thanks to induction technology
- ECO-Save 55% time savings compared to conventional cooking plates, no preheating phase, energy saving
- Automatic pot detection automatic switch-off in the case of non-induction pots
- 10 power levels and 10 temperature levels with LED indication (60°C-240°C)
- Electronic sensor touch control panel with display for comfortable operation
- 3 LED indicator lights
- 180 minutes timer with automatic switch-off and end signal
- Countdown indication
- Automatic switch-off after 120 min. without operation
- Automatic switch-off after removal of the pot
- Child lock
- High stability due to non-slip feet
- Overheating protection
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 290 x 65 x 370 mm

- Induction double hotplate with high-quality, eco-friendly glass-ceramic cooking surface
- Scratch-resistant smooth cooking surface (very easy to clean)
- Heating only takes seconds thanks to induction technology
- ECO-Save 55 % time savings compared to conventional cooking plates, no preheating phase, energy saving
- Automatic pot detection automatic switch-off in the case of non-induction pots
- LED display
- Each hob with 16 function levels 6 power levels and 10 temperature levels (60 °C-240 °C)
- Electronic sensor touch control panel with display for comfortable operation
- 2x 3 LED indicator lights
- 180 minutes timer with automatic switch-off and end signal
- Countdown indication on the LED display
- Automatic switch-off after 120 min. without operation
- Automatic switch-off after removal of the pot
- High stability due to non-slip feet
- Overheating protection
- 220-240 V, 50/60 Hz, 3500 W max.
- WxHxD approx. 610 x 75 x 365 mm



Art. no. 263 703 4 006 160 637 038











Vertical steam ironing for hanging clothes



Combined attachment: textile brush attachment for gentle and efficient method of removing wrinkles from fabrics and fluffs attachment for removing wrinkles and



Travelling steam iron/ steam brush DB 3108 B



Steam brush DB 3717

- 2 in 1 Vertical and horizontal steam ironing possible
- Steam brush for steam ironing, removes wrinkles and lint
- Scratch-resistant "Superglide" ceramic soleplate with outstanding sliding behaviour
- Combined attachment:
 - Textile brush attachment: gentle and efficient method of removing wrinkles from fabrics
 - Fluffs attachment: for removing wrinkles and fluffs
- The gentle steam effect extends the lifespan of your clothes
- Saves time over traditional ironing
- Also suitable for sensitive materials
- Quick warm-up time through powerful heating element ready to use in approx. 30 seconds
- Water tank (removable) with 200 ml capacity allows steam ironing up to 6 garments in one pass
- Use for up to 20 min. on a full tank
- Constant steam output: approx. 20 g/min.
- Ergonomically shaped handle
- 7 steam nozzles for quick and gentle smoothing of textiles
- Vertical steam ironing for hanging clothes, curtains etc.
- Extra large operation range by 1.8 m long connection cable
- On/off switch
- Indicator light
- Overheating protection
- Accessories: textile brush attachment, fluffs attachment, measuring cup
- 230 V, 50 Hz, 1100 W
- WxHxD approx. 110 x 270 x 100 mm

- Stepless temperature control, suitable for all types of fabric
- Open turning handle
- Indicator light
- Non-stick-coated soleplate
- Combined attachment: fluff removal and brushes
- Vertical steam function for smothing hanging textiles
- Transparent water container (approx. 30 ml)
- 230 V, 50 Hz, 800 W
- WxHxD approx. 185 x 226 x 128 mm



Art. no. 263 531







Art. no. 263 891













90

1800 Watt max.

Steam iron DB 3703





2200 Watt max.

Steam iron DB 3704



- Special stainless steel soleplate
- 7 functions:
- Spray device
- Steam jet function
- Vertical steam
- Dry function (steam can be switched off
- Self-cleaning function (switchable)
- Anti-drip function
- Anti-calc filter system
- Stepless temperature control
- Uniform steam distribution through 23 steam nozzles
- 3-level steam control (0-1-2)
- Transparent water container (approx. 150 ml)
- Cable feed via 360° turnable joint
- Indicator light
- Accessories: measuring cup
- 220-240 V, 50/60 Hz, 1800 W max.
- WxHxD approx. 110 x 140 x 265 mm

- Special stainless steel soleplate
- 7 functions:
 - Spray device
 - Steam jet function
 - Vertical steam
 - Dry function (steam can be switched off)
 - Self-cleaning function (switchable)
 - Anti-drip function
 - Anti-calc filter system
- Stepless temperature control
- Uniform steam distribution through 34 steam nozzles
- 3-level steam control (0-1-2)
- Transparent water container (approx. 250 ml)
- Cable feed via 360° turnable joint
- Indicator light
- Accessories: measuring cup
- 220-240 V, 50/60 Hz, 2200 W max.
- WxHxD approx. 110 x 140 x 285 mm



Incl. switchable selfcleaning function



4 006 160 638 554





Incl. switchable self-cleaning

Art. no. 263 856

4 006 160 638 561











Ceramic

Steam iron DB 3752









Ceramic

- Scratch-resistant ceramic soleplate with outstanding sliding behaviour
- 7 functions:
 - Spray device
- Steam jet function
- Vertical steam
- Dry function (steam can be switched off)
- Self-cleaning function (switchable)
- Anti-drip function
- Anti-calc filter system
- Stepless temperature control
- Uniform steam distribution through 25 steam nozzles
- 3-level steam control (0-1-2)
- Transparent water container (approx. 250 ml)
- Cable feed via flexible turnable joint
- Indicator light
- Accessories: measuring cup
- 220-240 V, 50-60 Hz, 2200 W max.
- WxHxD approx. 115 x 150 x 290 mm



Scratch-resistant and smoothrunning ceramic soleplate



Incl. switchable self-cleaning function

 Scratch-resistant ceramic soleplate with outstanding sliding behaviour

2600 Watt max.


- 7 functions:
- Spray device
- Steam jet function
- Vertical steam
- Dry function (steam can be switched off)
- Self-cleaning function (switchable)
- Anti-drip function
- Anti-calc filter system
- Stepless temperature control
- Uniform steam distribution through 40 steam nozzles
- 4-level steam control (0-1-2-3)
- Transparent water container (approx. 350 ml)
- Soft touch controls
- Rubberized handle for non-slip handling
- Cable feed via 360° turnable joint
- Indicator light
- Accessories: measuring cup
- 220-240 V, 50/60 Hz, 2600 W max.
- Wx Hx D approx. 125 x 145 x 300 mm



Scratch-resistant and smooth-running ceramic soleplate



Incl. switchable self-cleaning function



















92

2400 Watt max.

Ceramic

Cordless

Cordless steam iron DB 3706



- Scratch-resistant ceramic soleplate with outstanding sliding behaviour
- Cordless ironing without interfering cable
- 7 functions:
 - Spray device
 - Steam jet function
 - Vertical steam
 - Dry function (steam can be switched off)
 - Self-cleaning function (switchable)
 - Anti-drip function
 - Anti-calc filter system

- Stepless temperature control
- Uniform steam distribution through 56 steam nozzles
- 4-level steam control (0-1-2-3)
- Transparent water container (approx. 350 ml)
- Secure stand due to rubberized feet
- Flexible cable feed
- Indicator light
- 220–240 V, 50/60 Hz, 2400 W max.

.....

■ WxHxD approx. 145 x 175 x 340 mm



Scratch-resistant and smooth-running ceramic soleplate



Incl. switchable self-cleaning function



2 in 1 – also to use cordless



Art. no. 263 858

N 4 006 160 638 585














2800 Watt max.

Ceramic

Steam iron DB 3755



- LED handle illumination / ready indicator
- 7 functions:
 - Spray device
 - Steam jet function
 - Vertical steam
 - Dry function (steam can be switched off)
 - Self-cleaning function (switchable)
 - Anti-drip function
 - Anti-calc filter system
- Stepless temperature control

- 3D ceramic soleplate
 - Professional steam distribution
 - 20 steam nozzles
 - Scratch-resistant Superglide ceramic coating
 - Tail-tapered reverse ironing function
- 3-level steam control (0-1-2)
- Transparent water container (approx. 400 ml)
- Cable feed via 360° turnable joint
- Accessories: measuring cup
- 220-240 V, 50/60 Hz, 2800 W max.
- WxHxD approx. 120 x 155 x 315 mm





3D ceramic soleplate: professional steam distribution, 20 steam nozzles, scratch-resistant Superglide ceramic coating, tail-tapered reverse ironing function



LED handle illumination / ready indicator



Incl. switchable self-cleaning function



Art. no. 263 949

4 006 160 639 490





HOME APPLIANCES 2022





2400 Watt max.

Ceramic



94

Steam ironing station DBS 3749



- Scratch-resistant and smooth-running "Superglide" ceramic soleplate with outstanding sliding behaviour
- 3.5 bar steam pressure with constant high steam output (max. 90 g/min.)
- Uniform steam distribution through 11 steam nozzles
- Horizontal and vertical steam function
- Removable water tank (1.2 litres capacity), in case of average operation sufficient for up to 80 minutes
- Electronic anti-drip system
- Indicator light
- Stepless temperature control
- Extra large rest plate to provide the iron with a stable rest
- Transport safety device (lockable)
- Extra long connection cable
- Cord storage compartment
- 220-240 V, 50-60 Hz, 2400 W max.
- WxHxD approx. 190 x 250 x 370 mm



smooth-running "Superglide" ceramic soleplate




Removable water tank (1.2 litres capacity)



Cord storage compartment



Transport safety device (lockable)



AN 4 006 160 639 995










Incl. universal pants attachment for all common fabrics such as jeans or cotton





Shirts / blouses and pants ironer HBB 3734



- 2 in 1 function one-step drying and ironing of e.g. outer clothing such as shirts, blouses, T-shirts and dryer-safe pullovers and pants
- Time and energy saving clothes dry and ironed in no time
- Fully automatic drying and ironing in one replaces irons and ironing boards
- Also suitable for freshening neutralizes odours
- Adjustable "One size"-balloon body (XS-S-M-L-XXL)
- Incl. universal pants attachment for all common fabrics such as jeans or cotton
- Powerful 1200 watt
- Stepless 180 minutes automatic shut-off timer
- LED indicator light
- Built-in overheating protection and tilt safety device for automatic shut-off and maximum security
- Space-efficient design with height-adjustable and removable telescopic rod
- 220-240 V, 50/60 Hz, 1200 W
- WxHxD (Base) approx. 325 x 275 x 180 mm
- WxHxD (with doll) approx. 1720 x 1080 x 500 mm

Replacement balloons HBB 3734

SHIRT

Art. no. 263 911

EAN 4 006 160 639 117

PU 1

PANT

Art. no. 263 912

EAN 4 006 160 639 124

PU 1



Stepless 180 minutes automatic shut-off timer



The washed/tumbled article of clothing is pulled onto the balloon body



Set the timer to the necessary period – the article of clothing is dried and ironed by the air flow



The dried and ironed article of clothing is finished and can be pulled off of the balloon body



N 4 006 160 638 820

PU 2





Detachable 1.2 litres capacity water tank



Vertical steam ironing for hanging clothes




Gentle and effective method for removing creases from fabrics












- Gentle and effective method for removing creases from fabrics
- The gentle steam effect extends the lifespan of your clothes
- Saves time over traditional ironing
- Also suitable for sensitive materials
- Vertical steam function
- Quick warm-up time through 1500 watt of power ready to use in around 50 seconds
- Removable water tank (1.2 litres capacity)
- Use for up to 40 mins on a full tank
- Stepless height-adjustable telescopic pole (to 1.35 m) for individual adjustment to body height and for easy storage
- Constant steam output: around 30 g/min.
- Vertical steam ironing for hanging clothes, curtains etc.
- Anti-drip system
- Easy to transport through 2 large rollers and 2x 360° casters
- Accessories: trousers and clothes hanger, fabric brush attachment for removing wrinkles and bobbles
- On/off switch (illuminated)
- Overheating protection
- Fire protection fuse
- Cable length approx. 1.80 m
- 230 V, 50 Hz, 1500 W
- WxHxD approx. 340 x 1640 x 230 mm





Art. no. 263 561

AN 4 006 160 635 614












- High quality free arm sewing machine with 12 stitch selection
- 2-step buttonhole system suitable for sewing buttonholes
- Double revolving horizontal hook reliable drop-in technique
- Ideal for beginners / newcomers
- Easy stitch selection with preset stitch widths and lengths
- Forward & backward sewing function
- Practical carrying handle
- Operation also by foot pedal
- 2 speed settings
- Integrated thread cutter
- Automatic bobbin winder
- Glare-free LED work light
- Alternative battery operation without power supply possible for flexible working at different locations or for travelling
- Battery operation: 4x 1.5 V AA (battery not included) DC6V 1200mA
- Non-slip rubber feet
- Practical accessory drawer
- Accessories: 1x spare needle, 2x upper yarn bobbin, 2x lower yarn bobbin (wound bobbins), 1x threader
- 220-240 V, 50-60 Hz, 7.2 W
- WxHxD approx. 300 x 270 x 130 mm





Alternative battery operation possible Practical accessory drawer

12 built-in basic stitch programmes



without power supply

N 4 006 160 639 902













Shoe polishing machine



- Universal shoe polishing machine for efficient care/waxing and polishing of all kinds of shoes
- Incl. two quietly running, soft rotary brushes for polishing light and dark shoes
- All brushes removable for easy cleaning
- High-quality metal housing with robust "hammerblow lacquering"
- Powerful engine
- Quiet running
- Effortless and comfortable operation by foot
- Integrated shoe cream dispenser*)
 - with stainless steel ball valve
 - for convenient refilling (removable)
 - Capacity approx. 110 ml
- Dirt collecting mat (textile) removable for easy cleaning
- Secure stand due to rubberized feet
- Speed: 1500 rpm
- 230 V, 50 Hz, 90 W
- WxHxD approx. 270 x 255 x 220 mm
- *) Shoe polish/care products not included



Effortless and comfortable operation by foot



Integrated shoe cream dispenser with stainless steel ball valve



Efficient care/waxing and polishing of all kinds of shoes

Replacementset

2 brushes + screws Art. no. 264 573 4 006 160 645 736 **EAN**

PU

......



Art. no. 263 943

4 006 160 639 438











Shoe polishing machine SPM 3754

- Versatile shoe polishing machine for efficient cleaning, care/waxing and polishing of all kinds of shoes
- Incl. three quietly running rotary brushes:
- 1x rotating cleaning brush for the coarse dirt
- 2x rotating soft brushes for polishing light and dark shoes
- All brushes removable for easy cleaning
- High-quality metal housing with robust "hammerblow lacquering"
- Powerful motor
- Quiet running
- Effortless and comfortable operation by foot
- Integrated shoe cream dispenser*) in metal housing
 - with stainless steel ball valve
 - for convenient refilling (removable)
 - Capacity approx. 200 ml
- Dirt collecting mat (rubber) removable for easy cleaning
- 2 practical recessed grips
- Secure stand due to rubberized feet
- Speed: 1750 rpm
- 230 V, 50 Hz, 120 W
- WxHxD approx. 400 x 255 x 250 mm
- *) Shoe polish/care products not included



Effortless and comfortable operation by foot



Integrated shoe cream dispenser with stainless steel ball valve



Efficient cleaning, care/waxing and polishing of all kinds of shoes

Replacementset

3 brushes + screws Art. no. 264 574 EAN 4 006 160 645 743 PU



Art. no. 263 944

4 006 160 639 445











Steam cleaner DR 3653



- Steam cleaner cleans, degreases and disinfects without limescale residues and cleaning strips
- 3.5 bar max. steam pressure
- Approx. 250 ml water tank
- Extra-long cable (approx. 5.0 m)
- Overpressure protection
- Overheating protection
- Incl. 9 accessories: brush, angle, fleece, window and universal cleaning attachment, 360° swiveling steam nozzle, hose, measuring cup, funnel
- **220–240 V, 50/60 Hz, 900–1050 W**
- WxHxD approx. 250 x 225 x 135 mm



Round brush attach-



Universal cleaning attachment



Angle attachment



Fleece



Measuring cup



Art. no. 263 785

4 006 160 637 854







100





Steam cleaner DR 3280



- Steam cleaner cleans, degreases and disinfects without limescale residues and cleaning strips
- 4 bar steam pressure
- Approx. 1.5 litres water tank
- Stainless steel boiler
- Indicator lights (mains and standby)
- Safety tank lid with pressure relief valve
- Overheating protection
- On/off switch protected against water spray
- Practical open carrying handle
- Smooth-running wheels
- Steam control on the handle
- Incl. 10 accessories: 2-part extendable insertable tube, floor brush with cloth holder, fleece cloth, window cleaner, 2 jet nozzle attachments, 2 round brush attachments of different sizes, funnel, measuring cup
- Integrated accessory compartment
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 670 x 260 x 285 mm







Art. no. 283 013

N 4 006 160 830 132







Fleece attachment for thorough cleaning



Window cleaning attachment, cleans without streaks and limescale residue



Accessories: 2x microfiber cloth, measuring cup, window cleaner, nozzle, brush, carpet glider attachment




Space-saving storage by easy separation of the components











- Suitable for different surfaces: e.g. laminates, wooden floors, marble, rubber, slate, ceramics
- Cleans fabric surfaces such as carpets, mats and cushions
- Environmentally friendly and hygienic cleaning without the use of chemicals
- Kills bacteria through high steam power
- Maximum disinfection and intensive cleaning
- Ready to use in around 30 seconds
- Approx. 300 ml water tank
- Use for up to 30 min. on a full tank
- Up to 25 g steam/min.
- Carpet glider attachment
- Aluminium telescopic tube
- Removable handle and nozzle for easy use by hand
- Accessories: 2x microfiber cloth, measuring cup, window cleaner, nozzle and brush set
- Long cable (approx. 5.0 m)
- Cable rewind
- Fire protection fuse
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 260 x 1200 x 210 mm



Art. no. 263 621

PU 3











Battery vacuum cleaner **AKS 827**



- With 3 rechargeable NiMh batteries
- Crevice nozzle, brush nozzle
- Permanent dust filter (washable)
- Charge indicator light (LED)
- Charger mains adapter
- Foot/wall mounting (installation materials supplied)
- Charger mains adapter: 100–240 V, 50/60 Hz
- Rechargeable battery: 3.6 V, 1400 mAh (1x nickel metal hydride, 101.15 g)
- WxHxD approx. 100 x 130 x 310 mm





Battery wet/dry vacuum cleaner **AKS 828**



- Wet/dry vacuum cleaner
- Powerful battery vacuum cleaner with three rechargeable batteries
- Permanent dust filter (washable)
- Charge indicator light (LED)
- Charger mains adapter
- Accessories: crevice nozzle, attachment for wet vacuuming, wall mounting
- Charger mains adapter: 100-240 V, 50/60 Hz
- Rechargeable battery: 3.6 V, 1400 mAh (1x nickel metal hydride, 109.00 g)
- WxHxD approx. 110 x 130 x 380 mm






4 006 160 810 448




















12 V operation

Battery vacuum cleaner AKS 832





- Powerful battery vacuum cleaner with 10 rechargeable batteries
- Permanent dust filter (washable)
- Charge indicator light (LED)
- 12 volt and battery operation possible
- Direct drive function: with fully discharged battery, the battery vacuum cleaner can be used immediately in 12 volt operation
- Cord storage
- Accessories: 2x crevice nozzle (1x 13 cm, 1x 26 cm), attachment for wet vacuuming, brush attachment, 12 volt adapter cord
- Charger mains adapter: 100–240 V, 50/60 Hz
- Rechargeable battery: 12 V / Battery (NiMh), 1400 mAh (1x nickel metal hydride, 345.62 g)
- WxHxD approx. 125 x 130 x 400 mm





Hand vacuum cleaner HS 2631



- Hand vacuum cleaner for vacuuming of e.g. furniture, upholstery, frames, curtains, books, computers, cars and much more
- Compact size: 24 x 12 x 15 cm
- Permanent dust filter (easy to clean)
- Large operation range (6 m connection cable)
- Low weight
- Vertical storage (space-saving)
- Accessories: flexible "vacuum snout" with crevice nozzle, small and large brush, shoulder strap
- 220-240 V~, 50/60 Hz, 700 W max.
- WxHxD approx. 110 x 185 x 360 mm



Attachment for wet



360° brush attachment





Extra-long crevice nozzles, for example, for use in



4 006 160 810 554
















CITC CIATRO



From floor vacuum cleaner to hand vacuum cleaner with one click



Practical wall mount incl. charging station and accessory holder



Electrically rotating floor brush



Incl. 3 additional nozzles










Battery floor vacuum cleaner



- Eco-Cyclon twin spin battery hand and floor vacuum cleaner with 18.5 V lithium ion battery (2200 mAh)
 - Electrically rotating floor brush
 - Incl. extra long crevice nozzle (25 cm)
 - Incl. rotatable brush nozzle (90°)
 - Incl. mini special nozzle
- Suitable for all surfaces
- Electronic overcharge protection
- From floor vacuum cleaner to hand vacuum cleaner with one click, suitable for vacuuming of e.g. furniture, cushions, drapes, books, car seats
- Bagless filter technology easy emptying by touch of a button + no need to buy expensive replacement vacuum cleaner bags later
- HEPA filter (High efficiency particulate air filter)
- Battery running time up to 20 minutes
- Battery charging time approx. 5 hours
- Aluminium suction tube
- Electronic power adjustment (2-steps)
- Integrated economy mode for longer battery life
- 4-step LED battery level indicator
- Optimum mobility with the double pivot that can be rotated up to 180°
- Practical wall mount incl. charging station and accessories holder
- Accessories: crevice nozzle, brush nozzle, mini special nozzle, wall mount

■ 220-240 V, 50/60 Hz, 18.5 V / Rechargeable battery (Li-lon), 2200 mAh (1x lithium-ion, 222.50 g)

■ WxHxD approx. 335 x 225 x 120 mm

floor brush






.....

















Incl. brush attachment



Incl. crevice nozzle



BS 1306 N

106





Floor vacuum cleaner



- 2 in 1 Floor and hand vacuum cleaner in one ■ Eco-Cyclon twin spin hand and floor vacuum cleaner with energy-saving 600 watt
 - Switchable floor brush
 - Incl. brush attachment
 - Incl. crevice nozzle
- Also suitable as hand vacuum cleaner for vacuuming of e.g. furniture, cushions, drapes, books, car seats
- Microfilter system
- HEPA filter (High efficiency particulate air filter)
- Two part aluminium tube (35–75 cm)
- Big operating range (6.5 m connection cable) problem-free access to stairs and corners
- Maneuverable and of easy application thanks to its light weight
- Incl. wall mount for space-saving storage
- Accessories: brush attachment, crevice nozzle, wall mount
- 220-240 V, 50/60 Hz, 600 W
- WxHxD approx. 230 x 1300 x 130 mm (with suction tube)



Incl. floor brush (switchable)



Art. no. 263 778 4 006 160 637 786

















- Eco-Cyclon twin spin floor vacuum cleaner with energy-saving 700 watt
- Bagless filter technology
- 4-fold microfilter system
- HEPA filter (High efficiency particulate air filter)
- Metal telescopic tube
- Switchable floor brush
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle
- 220-240 V, 50/60 Hz, 700 W
- WxHxD approx. 340 x 250 x 270 mm




2-fold accessories: combined brush/crevice nozzle




(€ €

Art. no. 263 809



















108

Floor vacuum cleaner BS 1302 N




- Eco-Cyclon twin spin floor vacuum cleaner with energy-saving 700 watt
- Constantly high suction power by bagless cyclon twin spin technology
- Electronic power adjustment
- 4-fold filter system
- HEPA filter (High efficiency particulate air filter)
- Stainless steel telescopic tube (approx. 92 cm lenght)
- Extra-large operation range (approx. 8.30 m)
- Switchable floor brush
- Incl. parquet brush
- Rubberized rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle
- 220-240 V, 50-60 Hz, 700 W
- WxHxD approx. 275 x 340 x 436 mm





brush/crevice nozzle







Art. no. 271 720



Art. no. 271 721 4 006 160 717 211

















Floor vacuum cleaner BS 1294 N



- Floor vacuum cleaner with energy-saving 700 watt
- Electronic power adjustment
- 2x HEPA filter (High efficiency particulate air filter)
- Height-adjustable telescopic tube
- Switchable floor brush
- Bagless filter technology (no need to purchase dust bags)
- Easy-to-empty, transparent dust-collecting container replaces conventional dust bag
- Tank volume: 1.25 litres
- Motor protection filter (washable)
- Rubberized rollers (ideal for parquet floors)
- Automatic cable rewind
- Space-saving parking aid
- 3-fold accessories: combined brush/crevice nozzle, upholstery nozzle
- 220-240 V, 50/60 Hz, 700 W
- WxHxD approx. 365 x 265 x 285 mm





N 4 006 160 717 037









110

Floor vacuum cleaner BS 1300 N



- Floor vacuum cleaner with energy-saving 700 watt
- 5-fold microfilter system
- Stainless steel telescopic tube
- Switchable floor brush
- Dust bag change indicator
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle
- 220-240 V, 50-60 Hz, 700 W
- WxHxD approx. 256 x 205 x 310 mm



Incl. floor brush (switchable)



2-fold accessories: combined brush/crevice nozzle



Art. no. 271 712

EAN 4 006 160 717 129











Wet vacuuming Dry vacuuming Blower function

Accessories holder





Wet vacuuming (e.g. spilled liquids)



Dry vacuuming (e.g. of dirt in the car)



Blower function (e.g. for easy removal of leaves)







- High-quality stainless steel housing
- Large and comfortable wet and dry vacuum cleaner with powerful 1200 watt
- Tank capacity: approx. 20 litres
- Powerful cleaning and suction power
 - Moisture (e.g. spilled liquids, wet potting soil)
 - Coarse dirt (e.g. leaves, broken glass, wood chips)
 - Dirt (e.g. dust on carpets or in the car)
- Incl. blower function (e.g. for easy removal of leaves)
- 3-part suction tube: variable working length from 32.0 to 92.5 cm
- 4 smooth-running castors (360°) allow flexible working
- Approx. 5 m cable for a large operating radius
- Splash-proof motor housing
- Motor/overflow protection by float valve
- Washable permanent filters
- Practical accessories holder on the unit for ready-to-hand and organized accessories
- Accessories: brush/crevice attachment, wet/dry brush, 3-part suction tube, washable permanent filters

.....

- 220-240 V, 50/60 Hz, 1200 W
- WxHxD approx. 400 x 505 x 400 mm



Incl. brush and crevice nozzle



Art. no. 263 978 4 006 160 639 780





Wet vacuuming Dry vacuuming **Shampoo function Blower function**

Stainless steel tube



Shampoo vacuum cleaner BSS 1309



Crevice nozzle

- Comfortable shampoo vacuum cleaner with powerful 1200 watt
- Cleans away larger dirt just as effectively as fluids
- Comes with separate removable tank for cleaning agent (4 litres)
- Spray extraction for even & large-scale spreading of the cleaning agent
- Perfect stability thanks to four pulleys
- 2 pulleys (360°) allow for easy and flexible cleaning
- 2-part stainless steel tube
- Big, sturdy carrying handle
- Dual filter system

112

- Practical accessories holder on the unit for ready-to-hand and organized accessories
- Comes with drain appliance to discharge absorbed fluids
- Incl. blower function (e.g. for easy removal of leaves)
- For easy and thorough cleaning of fabrics, areas, and hard floors (e.g. stone, tiles, linoleum)
- For deep-cleaning of upholstery and rugs
- Accessories: crevice nozzle, parquet brush, large suction nozzle (e.g. to clean carpet floors, tiles) small suction nozzle (e.g. to clean upholstery)
- Tank capacity (wet cleaning operation): 20 litres
- Cleaning container capacity: 4 litres
- 220-240 V, 50/60 Hz, 1200 W
- WxHxD approx. 370 x 500 x 430 mm



Large tank capacity (approx. 20 litres)



Shampoo tank (approx. 4 litres)



Shampoo vacuum cleaner



Wet/dry vacuum cleaner



Upholstery vacuum cleaner



Art. no. 263 850

4 006 160 638 509











Convenient one-hand operation



Textile mini cleaner TC 3758



- Textile mini cleaner for effective removal of lint and small nodules (pilling)
- Suitable for almost all garments such as wool, cotton, flannel, synthetic fibres, etc.¹)
- Also suitable for blankets, carpets, bed linen or seat covers¹)
- High-quality stainless steel shaving foil (approx. Ø 32 mm)
- 3-fold spring-mounted stainless steel blade (removable for easy cleaning)
- Convenient one-hand operation
- Small and handy (ideal for on the go)
- Removable and easily washable lint container
- On/off switch
- Accessories: cleaning brush, covering cap
- Battery operation: 2x 1.5 V AA (batteries not included)
- WxHxD approx. 52 x 98 x 74 mm



Convenient one-hand operation



Textile mini cleaner TC 3759



- Textile mini cleaner for effective removal of lint and small nodules (pilling)
- Suitable for almost all garments such as wool, cotton, flannel, synthetic fibres, etc.¹)
- Also suitable for blankets, carpets, bed linen or seat covers¹)
- High-quality stainless steel shaving foil (approx. Ø 45 mm)
- 3-fold spring-mounted stainless steel blade (removable for easy cleaning)
- Convenient one-hand operation
- Small and handy (ideal for on the go)
- Large, removable and easily washable lint container
- On/off switch
- Safety shutdown (automatic shutdown when the shaving head is removed)
- Accessories: cleaning brush, covering cap
- Battery operation: 2x 1.5 V AA (batteries not included)
- Wx Hx D approx. 59 x 155 x 79 mm
- 1) Please test on an invisible spot before use.

(€







¹⁾ Please test on an invisible spot before use.





Alcohol tester AT 3605

- Alcohol tester in an attractive design
- Measurement standby function
- 2 digital LCD displays
- Display in parts per thousand and g/l from 0.0 to 1.9 ‰ (red illuminated)
- Temperature display in °C and °F
- Time display (12/24 h)
- Optical warning at 0,2 ‰ and 0,5 ‰
- Countdown function (measuring readiness)
- Alarm function
- Automatic shutdown increases battery life
- Low weight
- Battery operation: 2x AAA (batteries not included)
- WxHxD approx. 36 x 120 x 20 mm

Glass bathroom scale PW 3368

- Electronic glass bathroom scale with easy-to-read LCD display
- Weighing units in kg, lb, st (convertible)
- Measurement range of 2.5–150 kg (in 100 g steps)
- Low-maintenance standing surface
- Secure stand due to anti-slip feet
- Automatic shutdown increases battery life
- Battery operation: 1x CR 2032 (battery included) (Battery: 1x lithium, 2.80 g)
- WxHxD approx. 300 x 25 x 300 mm



- 2 digital LCD displays for:
- Time, temperature
- Alcohol content (red illuminated)


Art. no. 271 704

 ϵ

Art. no. 271 666 4 006 160 716 665

(€













Glass bathroom scale PW 3369



- Electronic glass bathroom scale with easy-to-read LCD display
- Weighing units in kg, lb, st (convertible)
- Measurement range of 2.5–150 kg (in 100 g steps)
- Low-maintenance standing surface
- Secure stand due to anti-slip feet
- Automatic shutdown increases battery life
- Battery operation: 1x CR 2032 (battery included) (Battery: 1x lithium, 2.80 g)
- WxHxD approx. 320 x 25 x 320 mm



Foot massager FM 3389



- Intense whirlpool effect
- Massage burls for stimulating the foot reflex zones
- Additional massage roller (removable) for selective foot reflex zone massage
- Heated footrest
- 4-level switches:
 - -0 = off
 - 1 = massage
 - -2 = warm/whirl
 - 3 = warm/whirl/massage
- Can be used with and without water
- Splash guard (detachable)
- Water level mark
- Spout
- Large, rubberized feet for non-slip standing
- 230 V, 50 Hz, 90 W
- WxHxD approx. 300 x 120 x 380 mm





(€


Art. no. 271 665

4 006 160 716 658

PU 6

....















- Facial sauna for cosmetic face care and inhalation
- Cosmetic face care with facial sauna attachment pores are opened for easier cleaning, supplies the skin with rich hydration and stimulates blood circulation
- Incl. exchangeable inhaler for inhaling through mouth and nose
- Relaxation for mind and soul with the aroma attachment healthy inhalation, e.g. with specific application of essential oils
- Indicator light
- 3-level switches (0/1/2) for correct steam dosage
- Overheating protection
- Accessories: inhaler, aroma cap and measuring cup for easy filling
- 220-240 V, 50 Hz, 130 W
- WxHxD approx. 215 x 250 x 200 mm



Nose and ear hair remover NE 3595



- Conveniently and simply removes troublesome hairs in the nose and ears
- Incl. light for precise hair removal
- Stainless steel shaving head removable for easy cleaning
- Soft touch (partially rubberized housing)
- On/off switch
- Incl. covering cap for the shaving head
- Battery operation: 1x 1.5 V (AA) (battery not included)
- WxHxD approx. 30 x 130 x 35 mm







Measuring cup






Includes light for improved personal packaging

Promotional





4 006 160 637 908





Aroma attachment


















- Nose/ear hair remover and contour cutter in one
- Safe and easy removal of nose and ear hairs
- Stainless steel shaving heads removable for easy cleaning:
 - Vertically mounted shaving head for:
 - Contours
 - Eyebrows
 - 360° shaving head for:
 - Nose and ear hairs
- Incl. high-quality chrome applications
- On/off switch
- Battery operation: 1x 1.5 V (AA) (battery not included)
- WxHxD approx. 21 x 150 x 21 mm







Hair trimmer set **HSM 3441 NE**



Hair and beard trimmer:

- Stainless steel precision shaving head for uniform haircut
- Stainless steel blade
- Stepless cutting lenght adjustment for efficient use of the comb attachments
- Comb attachments for 4 cutting lenghts: 3, 6, 9, 12 mm
- Soft touch handle insert for safe handling
- Accessories: 4 comb attachments, styling comb, cleaning brush, shaving head protection, hanging loop
- 230-240 V, 50 Hz, 9 W
- WxHxD approx. 65 x 200 x 55 mm

Nose and ear hair remover:

- Conveniently and simply removes troublesome hairs in the nose and ears
- Stainless steel shaving head removable for easy cleaning
- Incl. covering cap for shaving head
- Battery operation: 1x 1.5 V (AA) (battery not included)
- Wx Hx D approx. 30 x 130 x 30 mm



Vertically mounted shaving head and 360° shaving head



Promotional packaging



Art. no. 263 936 4 006 160 639 360













Ion technology function

Hair straightener HC 3660



Hair and beard trimmer HSM/R 3313

Battery



- Stainless steel precision shaving head for uniform haircut
- Cutting lengths adjustable for professional work: 3 mm (without comb attachment); 5, 9, 13, 16 mm (with comb attachment)
- Removable comb attachment
- Mechanically folding shaving head for easy cleaning
- Easy to handle due to ergonomically shaped grip
- Soft touch handle insert
- LED charge display
- Charging station/stand including rubberized feet for stability
- Incl. 6 accessories: charging station/stand, mains charger, comb, cleaning brush, scissor, comb attachment
- Mains charger: 100–240 V, 50/60 Hz Rechargeable battery (NiMh): 800 mAh (1x nickel metal hydride, 16.00 g)
- WxHxD approx. 50 x 190 x 50 mm

- Ideal for fashionable hairstyles
- Ceramic plates, durable and scratch-resistant, for uniform, gentle heat distribution
- Additional tourmaline coating provides ionising function easier styling due to anti-static effect, the hair becomes sleek and silky
- Straightens the hair without problems due to the prolonged constant temperature
- Short heat-up time
- LED indicator light
- Safety interlock
- Handy design
- On/off switch
- Heat resistant power cord
- Cable feed via 360° turnable joint
- Hanging loop
- 220-240 V, 50/60 Hz, 28-33 W
- WxHxD approx. 310 x 30 x 34 mm






LED indicator light



4 006 160 822 434



















- Hair crimper (chromed)
- Trouble-free styling due to the constant, long-lasting temperature
- Short heat-up time
- Indicator light
- Soft touch housing
- Cable feed via 360° turnable joint
- On/off switch
- Incl. setting-down aid
- **220–240 V, 50/60 Hz, 25 W**
- WxHxD approx. 280 x 35 x 70 mm

- Hot air curling brush for even and gentle heat distribution
- 3 exchangeable brush attachments with smooth bristles for hair-friendly styling:
 - 1 volume brush
 - 2 round brushes individual for all hair lengths and requirements (15 mm Ø and 25 mm Ø)
- 2 temperature-/power settings
- Cold setting for style fix and hairstyle finish
- Ergonomically shaped handle
- Cable feed via 360° turnable joint
- Overheating protection
- Hanging loop
- **230 V, 50/60 Hz, 600 W**
- WxHxD approx. 365 x 50 x 50 mm




Volume brush



(15 mm Ø)



1 round brush







Art. no. 263 800 EAN 4 006 160 638 004











- Compact travelling hair dryer
- 2 temperature/power settings
- Shaping nozzle 360° rotatable (removable)
- Rubber profile on the casing avoid slipping
- Overheating protection
- Hanging loop
- 230 V, 50 Hz, 1200 W
- WxHxD approx. 111 x 210 x 75 mm

- Compact travelling hair dryer
- Folding handle
- 2 temperature/power settings
- Shaping nozzle 360° rotatable (removable)
- Soft touch housing
- Incl. volume diffuser
- Incl. see-through bag for practical storage and when
- Switchable voltage: 110/230 V
- Hanging loop
- 110/230 V, 50/60 Hz, 1100-1200 W
- WxHxD approx. 170 x 235 x 75 mm

 ϵ

4 006 160 635 584



(€











Ion technology function

Hair dryer HT 3661





- Professional hair dryer with 2000 watt max.
- 3 temperature/power settings
- 2 blower stages
- Cool Shot
- Professional volume diffuser and shaping nozzle

Styling

- CM

- Air intake filter (removable)
- Rubberized housing for non-slip storage
- Soft touch handle
- Overheating protection
- Hanging loop
- 220-240 V, 50/60 Hz, 1800-2000 W
- WxHxD approx. 270 x 270 x 90 mm

- Powerful 2200 watt max.
- Ion technology function improved possibilities of hairstyling thanks to antistatic effect, the hair is not dried out and becomes smooth and shiny
- 3 temperature/power settings
- 2 blower stages
- Cool Shot
- Shaping nozzle 360° rotatable (removable)
- Air intake filter (removable)
- Overheating protection
- Hanging loop
- **220–240 V, 50/60 Hz, 1800–2200 W**
- WxHxD approx. 230 x 270 x 85 mm

(€






122

Insect killer





- The insects are attracted by the UV light and killed by means of an electric wire mesh
- Electric wire mesh voltage: 1500–2000 V on the mesh itself
- Covers a range of approx. 20 m²
- Specifically designed for use in closed rooms
- All-round use
- Same level of efficiency in daylight and artificial light
- Incl. suspension device
- 220-240 V, 50/60 Hz, 4 W
- WxHxD approx. 160 x 230 x 100 mm





Ø 23 cm

Table fan VL 3601




- Oscillating (switchable swivel function)
- Adjustable angle of inclination
- Metal protection grid
- Secure stand
- Ø approx. 23 cm
- 2 speed levels
- 3-level switches (0/1/2)
- Practical carrying handle
- 220-240 V, 50-60 Hz, 30 W
- WxHxD approx. 275 x 375 x 220 mm











Art. no. 263 924

PU 4







Art. no. 263 136







- Adjustable angle of inclination
- Metal protection grid
- Secure stand
- Ø approx. 30 cm
- 3 speed levels
- 4-level switches (0/1/2/3)
- Practical carrying handle
- 220-240 V, 50-60 Hz, 40 W
- WxHxD approx. 340 x 480 x 245 mm



- Oscillating (switchable swivel function)
- Height-adjustable
- Adjustable angle of inclination
- Metal protection grid
- Secure stand
- Ø approx. 40 cm
- 3 speed levels
- 4-level switches (0/1/2/3)
- Practical carrying handle
- 220-240 V, 50-60 Hz, 45 W
- WxHxD approx. 430 x 1250 x 640 mm



4-level switches



Oscillating (switchable swivel function)

PU 4

PU 4



4-level switches



swivel function)

Art. no. 263 700 EAN 4 006 160 637 007

PU 3









EAN 4 006 160 636 994

Art. no. 263 925 4 006 160 639 254

4 006160 636994



Standing fan



- Oscillating (switchable swivel function)
- Quiet running
- Height-adjustable
- Adjustable angle of inclination
- Metal protection grid
- Incl. remote control
- 7.5 hours timer
- Secure stand ■ 45 watt
- Ø approx. 40 cm
- 3 speed levels (High/Mid/Low)
- 2 electronic wind-mode functions:
 - Sleep: Fall-asleep program, after 30 minutes the running speed automatically decreases
 - Nature: Electronically programmed change of the running speed in irregular time periods
- LED indicator lights
- 220-240 V, 50/60 Hz, 45 W
- WxHxD approx. 430 x 1250 x 640 mm



Tower fan TVL 3770



- 75° oscillating (switchable swivel function)
- Space-saving
- Quiet running
- Protection grid
- Secure stand due to rubberized feet
- 3 speed levels
- 4-level switches (0/1/2/3)
- 120 minutes timer
- Practical carrying handle (recessed grip)
- Height: 78 cm
- 220-240 V, 50 Hz, 35 W
- WxHxD approx. 215 x 780 x 215 mm





4 006 160 639 278







Oscillating (switchable

Art. no. 263 962 4 006 160 639 629 Art. no. 263 961

PU 2 PU₂

















Fan / Air cooler LK 3742



- 3 in 1 Air cooler, air humidifier, air cleaner
- 3 blower stages
- 8 h timer
- 2 electronic wind-mode functions:
 - Sleep: Fall-asleep program, after 30 minutes the running speed automatically decreases
 - Nature: Electronically programmed change of the running speed in irregular time periods
- Remote control (incl. batteries)
- 4 smooth-running rollers for easy transport
- "Swing function" 90° oscillating airflow
- Incl. external water level indicator
- Incl. cord wrap

Air cooler:

- Pleasant indoor climate for your living and work space
- 4.5 l water tank, up to 20 hours continuous operation without refilling

Air humidifier:

- Refreshes and humidifies the air in rooms of up to 20 m² for a pleasant and healthy indoor climate
- Evaporation volume approx. 150 ml/h

Air cleaner:

- For healthier breathing air (reduces the burden of allergens, pollen, dust mites and particles, germs, and viruses)
- Filters dust, fibers, and odours from the air
- 220–240 V, 50 Hz, 70 W (Batteries: 2x zinc carbon, 7.20 g)
- WxHxD approx. 280 x 695 x 360 mm



Multifunction control panel



Art. no. 263 929


N 4 006 160 639 292

PU 1











126









■ WiFi control – easily in a home wireless¹) or via the Internet on the go

■ VOICE CONTROL via AMAZON ALEXA + GOOGLE

Additional functions via smartphone and tablet PC3) by free download a separate app4) via

- Additional app functions:
 - Programmable timer (to the minute)
 - Sleep mode
 - Fan speed
 - Smart functions
- Individual close-up operation of the device also possible without WiFi/App control
- Sensor touch control panel
 - 24 hour timer
 - Fan with 2 speed levels
 - Adjustable air flaps
 - LED display (temperature and timer)
 - 3 in 1 cooling, dehumidifying, ventilating
- 2 filters (removable)
- Condensation water recycling system
- Cooling capacity: 9000 BTU
- Coolant: R 290
- Air recirculation: up to 400 m³/h
- Sound level: 65 dB(A)
- Energy efficiency class A
- 4 smooth-running rollers for easy transport
- Infrared remote control (incl. batteries)
- Incl. 1.5 m exhaust hose and window kit
- Cord storage
- 220-240 V, 50 Hz, 1010 W (Batteries: 2x zinc carbon, 7.30 g)
- WxHxD approx. 354 x 698 x 338 mm

- 1) 2.4 GHz WLAN (the 5 GHz standard is unsupported)
- 2) Other services may be available
- 3) Smartphone and tablet PC not included
- Apple system requirements: iOS 8.0 or higher; Android system requirements: Android 4.4



CHE RONG

Sensor touch control



Glossy four-color



9000 BTU









Incl. infrared remote control







Art. no. 263 887 4 006 160 638 875














12000 BTU



Incl. automatic swing function for optimal cooling





WiFi - Air conditioning unit CL 3750

- WiFi control easily in a home wireless¹) or via the Internet on the go
- VOICE CONTROL via AMAZON ALEXA + GOOGLE ASSISTANT²)
- Additional functions via smartphone and tablet PC³) by free download an own app⁴) via AppStore Coole play
- Additional app functions:
 - Programmable timer (to the minute)
 - Sleep mode
 - Fan speed
 - Smart functions
- Individual close-up operation of the device also possible without WiFi/App control
- Multifunction control panel
 - 24 hour timer
 - Fan with 3 speed levels
 - Incl. automatic swing function for optimal cooling
 - LED display (temperature and timer)
 - Additional front display for convenient operation
 - 3 in 1 cooling, dehumidifying, ventilating
- Filter (removable)
- Condensation water recycling system
- Cooling capacity: 12000 BTU / Coolant: R 290
- Air recirculation: up to 450 m³/h
- Sound level: 65 dB(A)
- Energy efficiency class A
- 4 smooth-running rollers for easy transport
- Infrared remote control (incl. batteries)
- Incl. 1.5 m exhaust hose and window kit
- Cord storage
- **220–240 V, 50 Hz, 1345 W** (Batteries: 2x zinc carbon, 7.30 g)
- WxHxD approx. 350 x 800 x 470 mm
- 1) 2.4 GHz WLAN (the 5 GHz standard is unsupported)
- 2) Other services may be available
- 3) Smartphone and tablet PC not included
- 4) Apple system requirements: iOS 8.0 or higher; Android system requirements: Android 4.4 or higher



ON CHIRONO

22







Multifunction control panel incl. LED display







Incl. window kit and exhaust hose









for car operation





Cool bag KT 3720

128



- Insulated thermal cool bag ideal for camping, travel and shopping
- Capacity (gross capacity): approx. 15 litres max.
- For all standard 0.5/0.75/1.0 litre bottles
- Uniform cooling due to external fan
- Cooled up to 12°C max. below ambient temperature
- Powerful, maintenance-free Peltier cooling system
- Durable material (splash-proof)
- High-quality isolation
- Main compartment with zipper and 3 additional external storage compartments
- Easy-to-clean interior
- Adjustable shoulder strap for high wearing comfort
- Cool bag foldable (space-saving)
- Accessory: 12 volt connecting cable for car operation
- Power supply: DC 12 V, 50 W
- WxHxD approx. 320 x 250 x 250 mm



storage compartments



Uniform cooling due to external fan



For all standard 0.5/0.75/1.0 litre bottles



Adjustable shoulder strap for high wearing comfort



Art. no. 263 888

4 006 160 638 882











12 volt connector



230 volt connector












Cool box KB 3713 N

- Perfect for camping, travel and shopping
- Capacity (gross capacity): 25 litres max.
- For all standard 0.75 / 1.0 / 1.5 / 2.0 litres bottles
- Uniform cooling due to integrated fan
- Cooled up to 18 °C max. below ambient temperature
- Powerful, maintenance-free Peltier cooling system
- Energy-saving function (ECO SAVE)
- Double-walled plastic casing with high-quality isolation
- Special sealing rubber in the lid reduces condensation
- Foldable handle
- Removable lid
- Cable storage compartment
- Accessory: 12 volt connecting cable for car operation, 230 volt connecting cable
- Power supply:
 - Mains adapter connection: DC 12 V, 45 W
 - Mains adapter connection: AC 220–240 V~, 50/60 Hz, 55 W, 8.5 W (ECO mode)
- WxHxD approx. 345 x 490 x 235 mm





For all standard 0.75 / 1.0 / 1.5 / 2.0 litres bottles



.....

Cable storage compartment





N 4 006 160 638 790









12 volt connector



230 volt connector










Cool box KB 3714 N

130



- Perfect for camping, travel and shopping
- Suitable for cooling and warming
- Capacity (gross capacity): 30 litres max.
- For all standard 0.75 / 1.0 / 1.5 litres bottles
- Uniform cooling due to integrated fan
- Cooled up to 18 °C max. below ambient temperature
- Powerful, maintenance-free Peltier cooling/heating system
- Energy-saving function (ECO Save)
- Rugged, double-walled plastic casing with high-quality isolation
- Special sealing rubber in the lid reduces condensation
- Foldable handle
- Removable lid
- Accessory: 12 volt connecting cable for car operation, 230 volt connecting cable
- Power supply:
 - Mains adapter connection: DC 12 V, 45/40 W
 - Mains adapter connection: AC 220-240 V~, 50/60 Hz, 55/50 W, 8.5 W (ECO mode)
- WxHxD approx. 400 x 435 x 295 mm



.....



For all standard 0.75 / 1.0 / 1.5 litres



Art.no. 263 880

AN 4 006 160 638 806













Fan heater HL 3379

- Mobile, compact fan heater
- 2 heat settings (1000/2000 watt) Incl. cold stage (fan function)

- Continuously adjustable thermostat
- Indicator light
- 2 different ways of setting up
- Secure stand
- Sturdy carrying handle
- High safety through overheating protection
- 220-240 V, 50 Hz, 2000 W
- WxHxD approx. 120 x 248 x 250 mm

"This product is only suitable for well isolated rooms or for occasional use."





Fan heater HL 3761




- Mobile, compact fan heater
- 2 heat settings (1000/2000 watt)
- Incl. cold stage (fan function)
- Continuously adjustable thermostat
- Indicator light
- Secure stand
- Sturdy carrying handle
- High safety through overheating protection
- Safety contact switch for fire protection
- 220-240 V, 50-60 Hz, 2000 W
- WxHxD approx. 190 x 250 x 130 mm

"This product is only suitable for well isolated rooms or for occasional use."





2 different ways of setting up











Art. no. 263 951







Fan heater HL 3800

- Mobile, compact fan heater
- 2 heat settings (1000/2000 watt)
- Oscillating (switchable swivel function)
- Incl. cold stage (fan function)
- Continuously adjustable thermostat
- Indicator light
- Secure stand
- Sturdy carrying handle
- High safety through overheating protection
- Safety contact switch for fire protection
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 220 x 290 x 165 mm

"This product is only suitable for well isolated rooms or for occasional use."



Oscillating (switchable swivel function)











- High-quality PTC ceramic heater element for healthy, safe, quiet and efficient heating
- Low dust accumulation
- Quick and effective heating
- Robust and insensitive because of long-life ceramic heating element
- 7-level switches
- 2 heat settings (1000/1500 watt)
- Oscillating (switchable swivel function)
- Incl. cold stage (fan function)
- Continuously adjustable thermostat
- Secure stand
- Sturdy carrying handle (foldable)
- High safety through overheating protection
- Safety contact switch for fire protection
- 220-240 V, 50 Hz, 1500 W
- WxHxD approx. 191 x 267 x 141 mm

"This product is only suitable for well isolated rooms or for occasional use."



Oscillating (switchable swivel function)














PTC ceramic heater element

Healthy, safe, quiet and efficient heating
Low dust accumulation
Quick and effective heating
Long service life
Robust and intensitive



Sensor Touchcontrol panel

Ceramic fan heater HL 3763



- High-quality PTC ceramic heater element for healthy, safe, quiet and efficient heating
- Low dust accumulation
- Quick and effective heating
- Robust and insensitive because of long-life ceramic heating element
- Sensor touch control panel
 - LED display
 - Digital setting of room temperature (15–35 °C)
 - 12 hours timer
 - Oscillating (switchable swivel function)
 - Sleep mode (operation with dimmed display)
 - 2 heat settings (1300/2000 watt)
 - Incl. cold stage (fan function)
- Incl. infrared remote control (battery included)
- Secure stand
- Sturdy carrying handle
- High safety through overheating protection
- Safety contact switch for fire protection
- 220-240 V~, 50-60 Hz, 2000 W (Battery: 1x lithium, 2.40 g)
- WxHxD approx. 180 x 610 x 200 mm

"This product is only suitable for well isolated rooms or for occasional use."



Oscillating (switchable swivel function)













134

Convector heater KH 3077 N





- 3 heat settings (750/1250/2000 watt)
- Continuously adjustable thermostat
- Automatic temperature control

garages and conservatories

- Indicator light
- Convenient built-in carrying handles for easy transport
- Low-noise operation
- Overheating protection
- 220-240 V, 50 Hz, 1800-2000 W
- WxHxD (without feet): 570 x 375 x 110 mm
- WxHxD (with feet): 570 x 420 x 195 mm

"This product is only suitable for well isolated rooms or for occasional use."





Convector heater KH 3433 N



- Mobile heat also suitable for heating summerhouses, garages and conservatories
- 3 heat settings (750/1250/2000 watt)
- Continuously adjustable thermostat
- Automatic temperature control
- Anti-frost function
- Incl. blower function
- 3 indicator lights
- Convenient built-in carrying handles for easy transport
- Low-noise operation
- Overheating protection
- 230 V, 50 Hz, 2000 W
- WxHxD (without feet): 670 x 440 x 110 mm
- WxHxD (with feet): 670 x 480 x 195 mm

"This product is only suitable for well isolated rooms or for occasional use."

Art. no. 263 562







- 7 rib oil-filled radiator for effective heating of e.g. bedrooms, offices and hobby rooms
- Mobile radiator with up to 1500 watt
- 3 power levels (600/900/1500 watt) for setting of individual needs
- Heat regulation via continuously adjustable thermostat controller
- Indicator light
- Practical cable storage
- Slimline particularly space-efficient due to slim design
- Flexible use due to 4 easy-run castors and practical recessed grip
- Integrated overheating protection and anti-tipping device for automatic shutdown and maximum safety

370 mm

- **230 V, 50 Hz, 1500 W**
- WxHxD approx. 370 x 640 x 250 mm


"This product is only suitable for well isolated rooms or for occasional use."



Practical recessed grip



Practical cable storage




4 006 160 639 063







Oil radiator RA 3736



- Mobile radiator with up to 2000 watt
- 3 power levels (800/1200/2000 watt) for setting of individual needs
- Heat regulation via continuously adjustable thermostat controller
- Indicator light
- Practical cable storage
- Slimline particularly space-efficient due to slim design
- Flexible use due to 4 easy-run castors and practical recessed grip
- Integrated overheating protection and anti-tipping device for automatic shutdown and maximum safety
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 435 x 640 x 250 mm


"This product is only suitable for well isolated rooms or for occasional use."







Practical cable storage



4 006 160 639 070









- 11 rib oil-filled radiator for effective heating of e.g. bedrooms, offices and hobby rooms
- Mobile radiator with up to 2300 watt
- 3 power levels (1000/1300/2300 watt) for setting of individual needs
- Heat regulation via continuously adjustable thermostat controller
- Indicator light
- Practical cable storage
- Slimline particularly space-efficient due to slim design
- Flexible use due to 4 easy-run castors and practical recessed grip
- Integrated overheating protection and anti-tipping device for automatic shutdown and maximum safety

505 mm

- 230 V, 50 Hz, 2300 W
- WxHxD approx. 505 x 640 x 250 mm


"This product is only suitable for well isolated rooms or for occasional use."



Practical recessed grip



Practical cable storage



4 006 160 639 087









Headquarter



Logistic Center (approx. 100.000 m²)





Company presentation



Catalogue download as PDF



CTC Clatronic Int. GmbH Industriering Ost 40 D-47906 Kempen Phone +49 (0) 21 52/20 06-0 Fax +49 (0) 21 52/20 06-19 99 info@clatronic.de www.clatronic-germany.de CTC Clatronic Sp. zo.o.
UI. Brzeska 1
45-960 Opole
Phone +48 (0) 77/44 77 900
Fax +48 (0) 77/44 77 943
clatronic@clatronic.pl
www.clatronic.pl

CLATRONIC Far East Ltd.
Lower Portion of Unit 517 - 5/F METRO CENTRE II
No. 21 Lam Hing Street - Kowloon Bay Kowloon, Hong Kong
Phone +852 2624 8102 - Fax +852 2624 8090
www.clatronic.com